

## GENERAL NOTES:

- ALL DIMENSIONS IN METRES UNLESS OTHERWISE STATED, THE CONTRACTOR IS TO CHECK AND VERIFY ALL DIMENSIONS ON SITE PRIOR TO COMMENCEMENT OF CONTRACT, THE CONTRACTOR SHALL NOTIFY THE ENGINEER IF THERE ARE ANY DISCREPANCIES OR AMBIGUITIES.
  THE CONTRACTOR IS TO CONFIRM THE LOCATION OF
- SERVICES UNDERNEATH THE EARTHWORKS FOOTPRINT, IF THE EXISTING SERVICES CONFLICT WITH THE PROPOSED WORKS THEN THE ENGINEER WILL NEED TO BE NOTIFIED IMMEDIATELY.
- PIPE, CABLES AND OTHER UTILITIES, FOUNDATIONS, LEVELS, REFERENCE MARKS AND OTHER OBSTRUCTIONS INDICATED ON THIS DRAWING ARE BASED ONLY ON READILY AVAILABLE RECORD PLANS AND OTHER INFORMATION, THIS INFORMATION MAY NOT BE COMPLETE, ACCURATE NOR UP TO DATE, PRIOR TO CARRYING OUT ANY EXCAVATIONS OR OTHER PHYSICAL WORK THE CONTRACTOR SHALL OBTAIN THE LATEST INFORMATION FROM UTILITY PROVIDERS AND CARRY OUT DETAILED EXPLORATORY WORK, TRACING, LOCATING, PROTECTION, ISOLATION AND ALTERATIONS AS REQUIRED UNDER NZS 3910:2013 CLAUSE 5.1,3.

Stage 1			
PLOT	PLOT TYPE	GRAVE No.	SITE MAX GRADES
А	DOUBLE	240	13%
В	DOUBLE	400	6%
0	DOUBLE	640	13%
	Stage 1 total =	1280	
Stage 2			
PLOT	PLOT TYPE	GRAVE No.	SITE MAX GRADES
С	DOUBLE	320	13%
D	SINGLE	160	15%
E	DOUBLE	320	10%
F	SINGLE	160	16%
G	DOUBLE	480	18%
Н	SINGLE	160	13%
ı	DOUBLE	320	12%
j	SINGLE	240	17%
K	SINGLE	300	20%
L	SINGLE	300	14%
М	SINGLE	600	18%
	Stage 2 total =	3360	
	Grand Total	4640	



IN C

FOR CONSTRUCTION

GENERAL ARRANGEMENT PLAN

CEMETERY DEVELOPMENT

STAGE 1

**CIVIL ENGINEERING** 3412229-CA-005

OUTLET OF SUBSOIL DRAIN WITH D50 = 150mm, 300mm THICK, EXISTING 825mm DIA RAII WAY 500mm x 500mm RIP RAP FOR SCOUR PROTECTION, REFER TO CROSS CULVERT TO BE PROTECTED DURING WORKS DWG 3412229-CA-020 FOR DETAILS NEW 7 WIRE POST AND BATTEN FENCE OUTLET PAVEMENT SUBSOIL DRAIN ADJUST EXISTING MANHOLE TO 50,25m RL AND AT BASE OF FILL BATTER INSTALL SCRUFFY DOME TO MANUFACTURERS SPECIFICATION, EXISTING GROUND LEVEL INLET N.I.M.T RAILWAY LINE NORTH ROAD 02 NOT PART OF THIS CONTRACT TO BE COVERED BY GRATE WITH 100mm G INDICATIVE LOCATION OF PROPOSED SEDIMENT NEW 7 WIRE POST FUTURE WATER MAIN EXTENSION POND AND BATTEN FENCE FUTURE STAGE NOT PART OF THIS OF WORK - NOT IN CONTRACT SUBSOIL INSPECTION PIT/RODDING EYE. CONTRACT REFER TO DETAIL ON DRAWING CA-020 MAIN ACCESS RO REINSTATE DRIVEWAY NEW FARM ACCESS TO BE ACCESS IN ACCORDANCE SEALED PAVEMENT UP TO REINSTATED FARM GATE COUNCIL SUPPLEMENT WEST CAR PARK NEW WATERMAIN AND TAP TO BE INSTALLED CONTRACT 25mm DIA SLUICE VALVE IN ACCORDANCE CONTRACTOR TO SETOUT AND CONSTRUCT WORKS REINSTATE DRIVEWAY WITH WAIKATO DISTRICT COUNCIL STANDARD ENGINEERING DRAWING D6.2 ACCESS IN ACCORDANCE NEW 7-WIRE POST AND BATTEN FENCE TO TIE ROAD AND SWALES TO SUIT EXISTING ROAD WITH THE DISTRICT COUNCIL SUPPLEMENT FUTURE STAGE NTRANCE SWALE TO TIE OF WORK - NOT IN CONTRACT INTO EXISTING TO POKENO WATER MAIN CONNECTION TO BE CONFIRMED BY WDC SOUTHERN ACCESS ROAI NOT PART OF THIS CONTRAC SH GC GC 29.01.19 MH GC GC 25.10.19 PP GC GC 16.08.18 SH GC GC 02.05.18 By CN Appd Date 2 FOR CONSTRUCTION 1 FOR CONSTRUCTION 18.02.16 18.02.16 19.12.16 GC 19.12.16 Dale 25.10.19 Waikato **週Beca** FUTURE TUAKAU / POKENO

GC FOR CONSENT

8 MAINHOLE LEVEL UPDATED