IN THE ENVIRONMENT COURT AT AUCKLAND

I TE KŌTI TAIAO O AOTEAROA KI TĀMAKI MAKAURAU

Decision [2023] NZEnvC 220

IN THE MATTER OF

an appeal under clause 14 of the First Schedule of the Resource Management Act 1991

BETWEEN

FEDERATED FARMERS OF NEW ZEALAND

(ENV-2022-AKL-000051)

Appellant

AND

WAIKATO DISTRICT COUNCIL

Respondent

Court:	Environment Judge S M Tepania sitting alone under s 279 of the Act
Last case event:	Joint memorandum in support of draft consent orders dated 29 September 2023
Date of Order:	17 October 2023
Date of Issue:	17 October 2023



CONSENT ORDER

Under section 279(1)(b) of the Resource Management Act 1991 (the Act), the Environment Court, by consent, <u>orders</u> that:

Federated Farmers of NZ v Waikato District Council - Topic 17: Natural Hazards and Climate Change

- the Natural Hazards and Climate Change (NH) chapters in the Proposed Waikato District Plan be amended in accordance with Appendix 1 to this order (additions marked as <u>underlined</u> and deletions as strikethrough);
- (2) the appeal with respect to Topic 17: Natural Hazards and Climate Change is otherwise dismissed.
- B: Under section 285 of the Act, there is no order as to costs.

REASONS

Introduction

2 V

[1] This consent order relates to an appeal by Federated Farmers of New Zealand (Federated Farmers) against parts of the decisions of Waikato District Council (the Council) on the Proposed Waikato District Plan (PDP) in relation to its submissions seeking amendments to ensure a more granular approach to managing risks from natural hazards and to avoid imposing unnecessary restrictions on rural landowners and their communities.

[2] The parties jointly filed a memorandum and a draft consent order on 29 September 2023 seeking to resolve Federated Farmers' appeal in respect of the provisions under Topic 17, including Objective NH-O2, Policies NH-P11 and NH-P13 and Rule NH-R26.

Background

Original Submission and PDP Decision

[3] Federated Farmers made a submission and further submission on the PDP seeking a variety of amendments to various definitions, planning maps, objectives, policies and rules relating to infrastructure and subdivision, use and development.

[4] In relation to Topic 17, Federated Farmers' submission sought amendments to various objectives, policies and rules to ensure a more granular approach to managing

risks from natural hazards and to avoid imposing unnecessary restrictions on rural landowners and their communities.

[5] The IHP's decisions on the submissions with respect to natural hazards and climate change are contained within a series of decision reports addressing specific topics. In Decision Report 29A: Natural Hazards and Climate Change – Objectives, Policies, and General Submissions and 29B: Natural Hazards and Climate Change – Flood Hazards, and Defended Areas (Decision Report 29B), the IHP rejected the relief sought by Federated Farmers with respect to Objective NH-O2, Policy NH-P11, Policy NH-P13 and Rule NH-R26.4 No reasoning was provided by the IHP in the decision reports for the rejection.

Appeal

[6] On 1 March 2022, Federated Farmers filed an appeal against the decisions version of the PDP. Consistent with their original submission and the position advanced at the hearings, the Appeal seeks the following amendments with respect to Topic 17:

- (a) Objective NH-O2 amend so that hazard risks on people, property and infrastructure are 'appropriately' avoided, remedied or mitigated to ensure the objective acknowledges that some land uses and development within flood prone areas (such as important farm buildings) are not as vulnerable to flood risk;
- (b) Policy NH-P11 amend to ensure the management of inundation risk is commensurate with the level of tolerable risk and to also exclude earthworks related to the repair and maintenance of farm tracks and fences from the 50m setback from the toe of the stop-bank to enable livestock welfare and movement of stock during inundation;
- (c) Policy NH-P13 amend so that the minimum floor level requirement only applies to habitable buildings rather than all buildings as many common farm buildings are earth-floored and thus ponding would not affect these structures; and
- (d) Rule NH-R26 amend so that the repair and maintenance of tracks and fences within 50m of a stop bank is excluded from the rule.

Agreement reached between the parties

[7] Since the appeal was filed, the parties have engaged in direct discussions and have reached agreement to resolve Federated Farmers' appeal points in Topic 17. Federated Farmers' remaining interest in Topic 17 is as a section 274 party to WRC's appeal.

[8] The agreed amendments to the NH chapters are set out in **Appendix 1** and include the following:

- (a) addition of a new clause (c) into Policy NH-P11 to enable minor earthworks for the maintenance and/or repair of farm tracks, where appropriate, to maintain well-being and prevent harm from inundation;
- (b) amendment to the heading of Rule NH-R5 to permit the construction of a farm building with a flood resistant floor; and
- (c) amendment to Rule NH-R26 to enable earthworks associated with the repair and maintenance of tracks and fences for farming activities within 50m of the toe of a stop-bank, where the written approval of the authority managing the stop-bank has been obtained.

[9] The Council's PDP sub-committee directed that the parties consult with the Council as to the agreed amendment to rule NH-R26 as they are the authority responsible for managing the stop-banks. The Council have indicated that they are comfortable with the agreed amendment to rule NH-R26 and have suggested the inclusion of the following advice note to ensure correct contact is made with the Council:

Advice note: To seek written approval contact the Waikato Regional Council Integrated Catchment Management Group.

Section 32AA evaluation

[10] Section 32AA of the Act requires a further evaluation for any changes to a proposal since the initial section 32 evaluation report and the decision. The parties prepared a section 32AA evaluation of the appropriateness of the agreed amendments.

[11] It is agreed by the parties that these amendments to the NH chapters satisfy the concerns raised in the Appeal on the following basis:

- (a) the change to Rule NH-R5 delivers a more consistent approach to the management of low-risk farm buildings within flood plain management areas and flood ponding areas. This means that similar structures (farm buildings) with a similar risk profile (with a flood resistant floor) are all treated consistently. This reduces the consenting burden for the construction of these buildings. This is a more efficient approach than the relief that originally sought to restrict the application of minimum floor levels only to habitable buildings. That approach would require consequential amendments to the rules to protect high risk non-habitable buildings from damage due to inundation;
- (b) addressing the relief sought through the amendment to Rule NH-R5 rather than Policy NH-P13 is a more restricted change to the PDP and ensures that the intent of Policy NH-P13 is maintained and that Rule NH-R1 remains effective in reducing the potential for flood damage to buildings on the floodplains and flood ponding areas;
- (c) the changes to Policy NH-P11 and Rule NH-R26 remove the consenting burden on farmers operating within a defended area when the need arises to undertake maintenance and repairs to existing farm tracks and fences for farming activities. This is an efficient way to support on-farm wellbeing and prevent harm from inundation. These changes are compatible with a similar allowance provided for utilities in Rule NH-R26 and agreed in the decision version of the PDP;
- (d) the requirement in Rule NH-R26 for written approval to be obtained from the authority responsible for managing stop banks maintains an efficient check on and record of the activities. WRC, being the responsible authority, agrees with the proposed change and has provided advice, included in the rule, directing requests to the responsible group with WRC again ensuring an efficient process;
- (e) the changes to rule NH-R5 and NH-R26 are both consistent with Policy HAZ-P1 of the Waikato Regional Policy Statement. The

changes remain part of an integrated approach to natural hazard management and the risks from natural hazards are not raised beyond an acceptable level;

- (f) the risks of acting are low as the agreed amendments exempt a very limited set of activities from existing controls. The increase in types of farm buildings from those with earth floors to those with flood resistant flooring widens the range of options available for construction of farm buildings without significant increase in risk. The exclusion of maintenance and repair of farm tracks and fences within the 50 m of a stop-bank only simplifies the upkeep of existing assets and does not increase risk in the defended zone; and
- (g) the risk of not acting is that building floor level requirements may lead to farm building construction of lower standard (i.e. earthen floored) rather than constructing the same building with a flood resistant floor. The risk of not acting in relation to Rule NH-R26 is a potential delay in repairs and maintenance to farm tracks and fencing, creating difficulties in farm management and stock handling.

Consideration

- [12] In making this order the Court has read and considered:
 - (a) the notice of appeal dated 1 March 2022; and
 - (b) the joint memorandum of the parties in support of draft consent orders dated 29 September 2023.

[13] The Court is making this order under section 279(1) of the Act, such order being by consent, rather than representing a decision or determination on the merits. The Court understands for present purposes that:

- (a) all parties to the proceedings have executed the memorandum requesting this order; and
- (b) all parties are satisfied that all matters proposed for the Court's endorsement fall within the Court's jurisdiction, and conform to the

relevant requirements and objectives of the Act including, in particular, Part 2.

[14] The Court is satisfied that the changes sought are within the scope of the Appellant's submission and appeal.

Order

[15] The Court orders, by consent, that:

- (a) the NH chapters in the Proposed Waikato District Plan be amended in accordance with Appendix 1 to this order (additions marked as <u>underlined</u> and deletions as strikethrough); and
- (b) the appeal with respect to Topic 17: Natural Hazards and Climate Change is otherwise dismissed; and
- (c) there is no order as to costs.

S M Tepania Environment Judge



Appendix I – Clean version of the agreed changes to the NH – Natural hazards and climate change chapter of the PDP decisions version

* Note: There are other outstanding appeals on this chapter.

NH - Natural hazards and climate change

The relevant area specific zone chapter provisions apply in addition to this chapter.

Overview

- (1) The NH Natural hazards and climate change chapter identifies risks associated with natural hazards and manages land use in areas subject to risk from natural hazards. It identifies areas where certain types of new development will be avoided because of the natural hazards present, but also recognises that there is existing development, including infrastructure, already located on land subject to natural hazards. These areas will require management through mitigation and adaptation to ensure that the risk of damage to property, or injury or loss of lives is not increased.
- (2) This chapter sets out a two-tiered approach where natural hazard risk from subdivision, use and development is to be avoided within the following identified high risk natural hazard areas:
 - (a) High Risk Flood Area;
 - (b) High Risk Coastal Inundation Area; and
 - (c) High Risk Coastal Erosion Area.
- (3) Outside of these areas, subdivision, use and development is provided for where natural hazard risk can be adequately avoided, remedied or mitigated and the risk is not exacerbated or transferred to adjoining sites.
- (4) The following natural hazards areas have been identified and mapped in the District Plan:

Overlay	Description	
	Flood hazards	
High flood risk area Identifies areas within the floodplain where the depth of flood water in a 1% AEP flood event exceeds 1 metre and the speed of flood water exceeds 2 metres per second, or the flood depth multiplied by the flood speed exceeds one.		
Flood plain management area	Identifies the 1% Annual Exceedance Probability (AEP) floodplain and has been developed through both ID and 2D modelling, depending on the level of information available.	
Flood ponding area	Identifies areas that experience floodwater ponding in a 1% AEP rainfall event.	
Residual risk areas / Defended areas	Identifies areas of land that would be at risk from a natural hazard event if it were not for a structural defence such as a stop bank.	
Coastal hazards		
High risk coastal inundation area / High risk coastal erosion area	Identify land where there is significant risk from either coastal inundation or coastal erosion with existing sea level and coastal processes.	

Coastal sensitivity area (Erosion) / Coastal sensitivity area (Inundation)	Identify land that is potentially vulnerable to either coastal erosion or coastal inundation over a 100 year period to 2120, assuming a sea level rise of 1.0 metre.	
Subsidence risk		
Mine subsidence risk area Identifies an area where subsidence has occurred at		
Huntly due to former underground coal mining.		

Objectives

NH-OI High risk natural hazards areas.

In an identified high risk natural hazards area, the risks associated with natural hazards on people, property and infrastructure from subdivision, use and development of land are avoided.

NH-O2 Areas at risk from natural hazards.

Subdivision, use and development within areas at risk from natural hazards are managed so that natural hazard risks on people, property and infrastructure are avoided, remedied or mitigated.

NH-O3 Awareness of natural hazard risks.

Ensure communities respond effectively and efficiently to natural hazards.

NH-O4 Climate change.

Communities are well-prepared to adapt to the effects of climate change.

Policies

- NH-PI New development in areas at high risk from natural hazards.
- (1) Avoid subdivision, use and new development in the following high risk natural hazard areas:
 - (a) High risk flood area;
 - (b) High risk coastal inundation area;
 - (c) High risk coastal erosion area,

where there is an increase in risk to people and property.

NH-P2 Changes to existing land use activities and development in areas at high risk from natural hazards.

In areas of High risk flood, High risk coastal erosion and High risk coastal inundation, ensure that when changes to existing land use activities and development occur, a range of risk reduction options are assessed, and development that would increase risk to people's safety, well-being and property is avoided.

NH-P3 Small scale non-habitable structures in areas subject to high risk from natural hazards.
 Enable small scale accessory and farm buildings to be located within areas at high risk from natural hazards, including High risk flood, High risk coastal inundation and High

risk coastal erosion, provided the risks to people, property and the environment beyond the site are managed to acceptable levels.

NH-P4 New emergency services and hospitals in areas at significant high risk from natural hazards.

Avoid locating new emergency service facilities and hospitals in areas which are at high risk from natural hazards, including High risk flood, High risk coastal inundation and High risk coastal erosion, unless, considering engineering and technical constraints or functional and operational requirements, they cannot be reasonably located elsewhere and will not increase the risk to or vulnerability of people or communities.

- NH-P5 New and upgrading of infrastructure and utilities in areas subject to high risk from natural hazards.
- (1) Enable the construction of new infrastructure, utilities and ancillary activities and upgrading of existing infrastructure and utilities, in areas at high risk from natural hazards, including High risk flood, High risk coastal inundation and High risk coastal erosion areas only where:
 - (a) The infrastructure and utilities are technically, functionally or operationally required to locate in areas subject to natural hazards, or it is not reasonably practicable to be located elsewhere; and
 - (b) Any increased risks to people, property and the environment are mitigated to the extent practicable; and
 - The infrastructure and utilities are designed, maintained and managed, including provision of hazard mitigation works where appropriate, to function to the extent practicable during and after natural hazard events.
- NH-P6 Existing infrastructure and utilities in all areas subject to natural hazards.

Provide for the operation, maintenance and minor upgrading of existing infrastructure and utilities in all areas subject to natural hazards.

- NH-P7 Managing natural hazard risk generally.
- (1) Outside of high risk natural hazard areas, provide for subdivision, use and development where:
 - (a) Natural hazard risk has been appropriately identified and assessed;
 - (b) The risk can be adequately avoided, remedied or mitigated;
 - (c) The risk does not transfer to adjoining sites; and
 - (d) The risk is not exacerbated.
- NH-P8 Protection from risks of coastal hazards.

Recognise the importance of natural features and buffers, and soft hazard protection works, and prefer them wherever practicable over hard protection structures, where new hazard mitigation measures and/or works are required to protect people, property infrastructure and the environment from the risks of coastal hazards.

- NH-P9 Limitations on hard protection works for coastal hazard mitigation.
- (1) Ensure that where hard protection structures and works are proposed to protect existing development on public or privately-owned land from coastal hazards that the following is achieved:
 - (a) The structures have primarily a public and/or environmental benefit when located on public land;
 - (b) The structures are effective considering a range of coastal hazard events including the effects of climate change and the activities or development they are designed to protect;
 - (c) The economic, social and environmental benefits outweigh costs;
 - (d) Risk to people, property, infrastructure, the natural environment, historic heritage or Sites and Areas of Significance to Maaori is not transferred or increased;
 - (e) Structures are located as far landward as practicable; and
 - (f) Public access both to and along the coastal area and to the coastal marine area are provided for where the structure is located on public land
- (2) Ensure that when new hard protection structures are to be located in an area where an adaptive management strategy has been prepared to manage coastal hazards, they are consistent with that strategy.
- (3) Where adaptive management strategies have been prepared, plan change or resource consent processes should have regard to these strategies.
- NH-P10 Natural features and buffers providing natural hazard protection.
- (1) Protect, maintain and, where appropriate, enhance the integrity of natural features and buffers which provide a natural defence against the effects of natural hazards and sea level rise, including natural ponding areas, coastal dunes, intertidal areas, wetlands, waterbody margins, riparian/coastal vegetation and floodways.
- (2) Enable natural systems to adapt and respond to natural coastal processes including the effects of climate change.
- NH-PII Areas defended by stopbanks adjacent to the Waikato River.
- (1) Control subdivision, use and development in areas identified as Defended Areas adjacent to the Waikato River by:
 - (a) Assessing the potential risk of overtopping or structural failure of the stopbanks, and overwhelming of associated flood protection structures, before subdivision, use and development occurs; and
 - (b) Requiring that consideration be given to appropriate mitigation to reduce any residual risk identified to acceptable levels; and
 - (c) Ensuring that any residual risk is not transferred to neighbouring sites; and
 - (d) Recognising the functional needs and operational needs of the National Grid.
- (2) Specify minimum setbacks for buildings and earthworks from stopbanks to:
 - (a) Protect the structural integrity of the stopbanks;

- (b) Provide a buffer to reduce the potential risk to life and damage to property from deep and fast-flowing flood waters in the event of a breach; and
- (c) Enable minor earthworks for the maintenance and/or repair of farm tracks where appropriate to maintain well-being and prevent harm from inundation, such as to enable the movement of livestock when there is flooding.
- NH-P12 New development that creates demand for new protection structures and works.

Avoid locating new subdivision, use and development in High risk flood, High risk coastal inundation and High risk coastal erosion areas where a demand or need for new structural protection works will be required to reduce the risk from natural hazards to acceptable levels.

- NH-P13 Reduce potential for flood damage to buildings located on the floodplains and flood ponding areas.
- (1) Reduce the potential for flood damage to buildings located on floodplains and flood ponding areas by ensuring that the minimum floor level of building development is above the design flood levels/ponding levels in a 1% AEP flood event, plus an allowance for freeboard, unless:
 - (a) The building is of a type that is not likely to suffer material damage during a flood; or
 - (b) The building is a small-scale addition to an existing building; or
 - (c) The risk from flooding is otherwise avoided, remedied or mitigated.
- NH-P14 Control filling of land within the 1% AEP floodplain and flood ponding areas.

Control filling of land within the 1% AEP floodplain and flood ponding areas to ensure that the potential adverse effects on flood storage capacity, overland flows, run-off volumes on surrounding properties or infrastructure, are avoided or mitigated.

- NH-P15 Managing flood hazards through integrated catchment management.
- Manage flood hazards by requiring new subdivision and development within floodplains, flood ponding areas and overland flow paths to adopt integrated catchment plan-based management methods which:
 - (a) Maintain the function of natural floodplains, wetlands and ponding areas including flood storage capacity; and
 - (b) Retain the function and capacity of overland flow paths to convey stormwater run-off; and
 - (c) Do not transfer or increase risk elsewhere within the catchment; and
 - (d) Promote best practice stormwater management with reference to the Waikato Stormwater Management Guideline and the Regional Infrastructure Technical Specifications (RITS); and
 - (e) Minimise impervious surfaces.
- NH-PI6 Development in the coastal sensitivity areas.
- (1) In coastal sensitive areas, control subdivision, use and development by ensuring that the subdivision, use and development is:

- (a) Supported by a detailed site specific risk assessment, which includes measures to address the effects of climate change; and
- (b) Designed, constructed and located to minimise the level or risk to people, property and the environment.
- NH-P17 Setbacks from the coast.

Avoid increasing the risk from coastal hazards by requiring new built development to be set back from the coastal edge, unless there is a functional or operational need for facilities to be located at or near the coast.

- NH-P18 Residential development and subdivision potentially subject to fire risk.
- (1) In areas assessed or identified as being potentially subject to elevated fire risk, ensure that an appropriate design and layout, including a buffer area or setback, is provided around for new residential subdivision and development, and the following matters are considered:
 - (a) Access for emergency service vehicles;
 - (b) Provision of and access to emergency firefighting water supply;
 - (c) Separation and management of vegetation (with regard to slope, aspect, management regimes and use of less flammable vegetation); and
 - (d) The design and materials of any buildings.
- NH-P19 Development on land subject to instability or subsidence.

Avoid locating new subdivision, use and development, including rezoning, on land assessed as being subject to, or likely to be subject to, instability or subsidence, unless appropriate mitigation is provided and the activity does not increase the risk to people, property or infrastructure.

- NH-P20 Development of land in the Mine subsidence risk area
- (1) On land identified within the Mine subsidence risk area, ensure that:
 - (a) An assessment by an appropriately qualified engineer occurs before subdivision, use or development takes place to confirm that the land is suitable for development; and
 - (b) Buildings are designed and constructed, and uses appropriate materials, to effectively minimise the risk of damage to the buildings from ground subsidence.
- NH-P21 Stormwater management in areas subject to risk of land instability or subsidence.
- (1) Avoid discharge of stormwater directly to ground on land that is potentially at risk of land instability or subsidence unless:
 - (a) An assessment has been undertaken by an appropriately qualified geotechnical specialist, indicating that the site is suitable for the proposed discharges; and
 - (b) Any adverse effects on the site and receiving environment can be appropriately mitigated.

- NH-P22 Liquefaction susceptible land risk assessment.
- (1) On land assessed as potentially susceptible to liquefaction, ensure that:
 - (a) An assessment by a geotechnical specialist occurs before new subdivision, use or development takes place; and
 - (b) The level of assessment reflects the type and scale of the subdivision, use or development and the overall vulnerability of the activity to the effects of liquefaction; and
 - (c) The assessment confirms that the land is suitable for the proposed development.
- NH-P23 Control activities on land susceptible to damage from liquefaction

Control subdivision, use and development on land assessed as being susceptible to liquefaction induced ground damage, to ensure that appropriate mitigation is provided so that the level of risk to people, property, infrastructure.

- NH-P24 Natural hazard risk information.
- (1) Enable people to be informed and have access to information on the natural hazards affecting their properties and surrounding area, including through:
 - (a) Provision of Land Information Memoranda;
 - (b) Natural hazard technical information, including the projected effects of climate change, risk registers and mapping on the Council's website, the Waikato Regional Council Hazards Portal, this district plan and accompanying planning maps;
 - (c) Education, provision of information and community engagement; and
 - (d) Alignment with the work of other agencies including iwi and the Waikato Regional Council.
- NH-P25 Awareness of Community Response Plans.

Improve response to and recovery from natural hazard events by encouraging community awareness and use of information and methods contained in Community Response Plans.

- NH-P26 Effects of climate change on new subdivision and development.
- (1) Ensure that adequate allowances are made for the projected effects of climate change in the design and location of new subdivision and development including new urban zoning throughout the District, including undertaking assessments where relevant that provide for:
 - (a) The projected increase in rainfall intensity, as determined by national guidance, assuming a temperature increase of not less than 2.3°C by 2120;
 - (b) The projected increase in sea level, where relevant, as determined by national guidance and the best available information, but being not less than 1m by 2120;

- (c) In respect to new urban zoning, stress testing under the RCP 8.5 scenario for rainfall¹ and RCP 8.5H+ for sea level rise²;
- (d) In respect to the coastal environment, increases in storm surge, waves and wind; and
- (e) The ability for natural systems to respond and adapt to the projected changes included in (a) to (d) above.
- NH-P27 Future land use planning and climate change.
- (1) Increase the ability of the community to adapt to the effects of climate change when undertaking future land use planning by:
 - Ensuring the potential environmental and social costs of climate change, including effects on indigenous biodiversity (inland migration), historic heritage, Sites and areas of Significance to Maaori, mahinga kai, public health and safety, public access to the coast and waterway margins, and the built environment are addressed;
 - (b) Encouraging the incorporation of sustainable design measures within new subdivision, land use and development, including:
 - (i) Low impact, stormwater management, urban design and green infrastructure;
 - Of relocatable buildings and structures in areas potentially at risk due to sea level rise or increased flood levels;
 - (iii) Efficient water storage;
 - (iv) Provision of renewable energy generation; and
 - (v) Transferring to activities with lower greenhouse gas emissions.
 - (c) Providing ongoing monitoring of changes to the environment due to climate change; and
 - (d) Facilitating community discussion on adaptive pathways to manage the risks associated with climate change and incorporating them, where appropriate, into the district plan through plan changes.
- NH-P28 Precautionary approach for dealing with uncertainty.

In areas throughout the district likely to be affected by climate change over the next 100 years, adopt a precautionary approach towards new subdivision, use and development which may have potentially significant or irreversible adverse effects, but for which there is incomplete or uncertain information.

¹ Stress testing under the RCP 8.5 scenario for rainfall, see Ministry for the Environment, 2018: Climate Change Projections for New Zealand. September 2018. Publication No. MFE 1385.

² Stress testing under the RCP 8.5H+ scenario for sea level rise, see Ministry for the Environment, 2017: Coastal Hazards and Climate Change – Guidance for Local Government. December 2017. Publication No. ME 1341.

- NH-P29 Provide sufficient setbacks for new development.
- Protect people, property and the environment from the projected adverse effects of climate change, including sea level rise, by providing sufficient setbacks from water bodies and the coast when assessing new development.
- (2) Ensure that, in establishing development setbacks for new development, adequate consideration is given to:
 - (a) The protection of natural ecosystems, including opportunities for the inland migration of coastal habitats;
 - (b) The vulnerability of the community;
 - (c) The maintenance and enhancement of public access to the coast and public open space;
 - (d) The requirements of infrastructure; and
 - (e) Natural hazard mitigation provision, including the protection of natural defences.
- NH-P30 Assess the impact of climate change on the level of natural hazard risks.
- For all new subdivision, use and development requiring rezoning or a resource consent, ensure that account is taken of the projected effects of climate change over the next 100 years when assessing any identified risks from natural hazards, and their effects on people, property, infrastructure and the environment.
- (2) Ensure that, when assessing the effects of climate change on the level of natural hazard risk in accordance with Policy NH-P30(1) above, the allowances in Policy NH-26(1)(a)-(d) are applied.
- (3) Where the assessment required by Policy NH-P30(1) indicates that natural hazards are likely to be exacerbated by climate change, ensure that subdivision and development are designed and located so that any increased and cumulative risk from natural hazards is managed to acceptable levels and any intolerable risks are avoided or reduced to tolerable or acceptable levels.

Rules

- (1) The rules in this chapter apply alongside the National Environmental Standards for Electricity Transmission 2010 (NESETA).
- (2) The rules in this chapter do not apply to:
 - (a) Any activity which is a regulated activity under the National Environmental Standards for Telecommunication Facilities 2016 (NESTF);
 - (b) Plantation forestry activities regulated under the National Environmental Standards for Plantation Forestry (NESPF).

Flood plain management area and Flood ponding area

NH-RI	Construction of a new building, or reconstruction of or an addition to an
	existing building, unless specified in Rules NH-R2 – NH-R6

Flood plain management area and Flood ponding area across all zones	 (1) Activity status: PER Activity-specific standards: (a) The minimum floor level is at least 0.5m above the 1% AEP flood level; and (b) Compliance with Standard NH-R1(1)(a) shall be demonstrated by a suitably qualified engineer with experience in hydrology. 	 (2) Activity status where compliance not achieved: RDIS Council's discretion is restricted to the following matters: (a) Assessment of risk from the 1% AEP flood event; (b) Alternative locations within the site outside of the 1% AEP floodplain or flood ponding area; (c) The type of building development proposed and whether it is likely to suffer material damage during a flood; (d) Ability to manage risk through building materials, structural or design work, engineering solutions or other appropriate
NH-R2	Additions to an existing building that doe	measures; and (e) Other mitigation measures to reduce the potential for flood damage to buildings. es not increase the ground floor area of
Flood plain management area and Flood ponding area across all zones	the building by more than 15m ² (1) Activity status: PER Activity-specific standards: Nil	(2) Activity status where compliance not achieved: n/a
NH-R3 Flood plain management area and Flood ponding area across all zones	Standalone garage with a gross floor area (1) Activity status: PER Activity-specific standards: Nil	a not exceeding 40m ² (2) Activity status where compliance not achieved: n/a
NH-R4 Flood plain management area and Flood ponding area across all zones	Construction of an accessory building w (I) Activity status: PER Activity-specific standards: Nil	ithout a floor (2) Activity status where compliance not achieved: n/a
NH-R5	Construction of a farm building with a flo floor	ood resistant (e.g. dirt, concrete pad)

Flood plain management area and Flood ponding area across all zones	(I) Activity status: PER Activity-specific standards: Nil	(2) Activity status where compliance not achieved: n/a
NH-R6	Construction, replacement, repair, maint of utilities	tenance, minor upgrading or upgrading
Flood plain management area and Flood ponding area across all zones	(1) Activity status: PER Activity-specific standards: Nil	(2) Activity status where compliance not achieved: n/a
NH-R7	Earthworks associated with construction, replacement, repair, maintenance, minor upgrading or upgrading of utilities, including the formation and maintenance of access tracks.	
Flood plain management area and Flood ponding area across all zones	(1) Activity status: PER Activity-specific standards: Nil	(2) Activity status where compliance not achieved: n/a
NH-R8	Earthworks to create a building platform	
Flood plain management area and Flood ponding area across all zones	 (1) Activity status: PER Activity-specific standards: (a) Filling height is only to the extent necessary to achieve compliance with Rule NH-RI(I)(a). 	 (2) Activity status where compliance not achieved: RDIS Council's discretion is restricted to the following matters: (a) Timing, location and scale of earthworks; (b) Adverse effects on: (i) Existing overland flow paths and surface drainage patterns; (ii) Flood storage capacity; (iii) Runoff volumes; (iv) Adjoining properties, including the transfer of risk; (v) Infrastructure and flood protection works; (vi) Consideration of soil types and potential for erosion; and (c) Mitigation including
		compensatory storage, or other flood management measures proposed.

Flood plain	(I) Activity status: PER	(2) Activity status where
management	Activity-specific standards:	compliance not achieved: RDIS
area and Flood	(a) In the GRZ – General	Council's discretion is restricted
ponding area	residential zone, MRZ – Medium	to the following matters:
across all	density residential zone, LLRZ –	(a) Timing, location and scale of
zones	Large lot residential zone, SETZ	earthworks;
	 Settlement zone and RLZ – 	(b) Adverse effects on:
	Rural lifestyle zone, a maximum	(i) Existing overland flow paths
	volume of filling above natural	and surface drainage
	ground level of 10m ³ per site,	patterns;
	and a maximum cumulative	(ii) Flood storage capacity;
	volume of filling and excavation of 20m ³ ; or	(iii) Runoff volumes;
	(b) In the GRUZ – General rural	(iv) Adjoining properties,
	zone – a maximum volume of	including the transfer of risk;
	filling above natural ground level	(v) Infrastructure and flood
	of 100m ³ per site, and a	protection works;
	maximum cumulative volume of	(vi) Consideration of soil types
	filling and excavation of 200m ³	and potential for erosion;
	per site; or	and
	(c) All other zones – a maximum	(c) Mitigation including
	volume of filling above natural	compensatory storage, or other
	ground level of 20m ³ per site, and a maximum cumulative	flood management measures
	volume of filling and excavation	proposed.
	of 50m ³ per site; and	
	(d) Height and depth of earthworks	
	in all zones:	
	(i) A maximum height of 0.2m of	
	filling above natural ground	
	level; and	
	(ii) a maximum depth of	
	excavation of 0.5m below	
	natural ground level.	
	Advice note: where a site is located	
	partly within the flood plain	
	management area or flood ponding	
	area this rule only applies to that part	
	of the site within the flood plain management area or flood ponding	
	area.	
NH-RI0	Subdivision to create one or more addit	ional vacant lot(s) other than a utility
	allotment, access allotment or subdivisio	
Flood plain	(I) Activity status: DIS	
management		
area and Flood		
ponding area		
across all		
zones		

High risk flood area

NH-RII	Repair, maintenance or minor upgrading	of existing utilities
High risk flood	(I) Activity status: PER	(2) Activity status where
area across all	Activity-specific standards:	compliance not achieved: n/a
zones	Nil.	
NH-RI2	Construction, replacement or upgrading of telecommunication lines, poles,	
	cabinets and masts/poles supporting ante	
High risk flood	(I) Activity status: PER	(2) Activity status where
area across all	Activity-specific standards:	compliance not achieved: n/a
zones	Nil.	
NH-RI3	Construction, replacement or upgrading supporting structures	of electricity lines, poles, cabinets, and
High risk flood	(I) Activity status: PER	(2) Activity status where
area across all	Activity-specific standards:	compliance not achieved: n/a
zones	Nil.	
NH-RI4	Construction of an accessory building w	ithout a floor;
High risk flood	(I) Activity status: PER	(2) Activity status where
area across all	Activity-specific standards:	compliance not achieved: n/a
zones	Nil.	
NH-RI5	Construction of a farm building without	a floor.
High risk flood	(I) Activity status: PER	(2) Activity status where
area across all	Activity-specific standards:	compliance not achieved: n/a
zones	Nil.	
NH-RI6	New utilities not provided for in Rules N	H-RI2 or NH-RI3
High risk flood	(I) Activity status: RDIS	(2) Activity status where
area across all	Activity-specific standards:	compliance not achieved: n/a
zones	Nil.	•
	i Nii.	
	Council's discretion is restricted	
	to the following matters:	
	(a) Functional and operational	
	requirements to be located in the High risk flood area;	
	(b) The adverse effects on people	
	and property from establishing	
	or upgrading the utility in the	
	High risk flood area;	
	(c) The potential for the	
	development to	
	transfer/increase flood risk to	
	neighbouring properties;	
	(d) Consideration of alternative locations;	
	(e) Consideration of the projected effects of climate change;	
	(f) Any mitigation measures to	
	reduce the risk to people's	
	safety, well-being and property.	
	surcey, wen being and property.	

High risk flood	(I) Activity status: RDIS	(2) Activity status where
area across all	Activity-specific standards:	compliance not achieved: n/a
zones	Nil.	
	 Council's discretion is restricted to the following matters: (a) Functional and operational requirements to be located in the High risk flood area; (b) The adverse effects on people and property from establishing or upgrading the utility in the High risk flood area; (c) The potential for the development to transfer/increase flood risk to neighbouring properties; (d) Consideration of alternative locations; (e) Consideration of the projected effects of climate change; 	
	(f) Any mitigation measures to	
	reduce the risk to people's safety, well-being and property.	
NH-R18		ilding existing at 17 January 2022, where
	the addition does not increase the grour	
	more than 15m ² , unless provided for in l	• • •
High risk flood	(I) Activity status: RDIS	(2) Activity status where
area across all zones	Activity-specific standards:	compliance not achieved: n/a
201185	Nil.	
	Council's discretion is restricted to the following matters:	
	 (a) The ability to manage flood risk through appropriate building materials, structural or design work or other engineering solutions; 	
	(b) The setting of an appropriate floor level for the addition, taking into consideration the location of the addition and the floor level of the existing building;	
	(c) Any mitigation measures to reduce the risk to people's safety, well-being and property.	
NH-RI9	Subdivision that creates one or more ad	ditional vacant lot(s) where:

	(b) The additional lot(s) are partially within the High risk flood area and each additional lot(s) contains an area capable of containing a complying building platform entirely outside the High risk flood area.
	This rule does not apply to subdivision for a utility allotment, access allotment or subdivision to create a reserve allotment.
High risk flood area across all zones	(I) Activity status: DIS
NH-R20	Construction of a new building or additions to an existing building, not provided for in Rules NH-R11 – NH-R18
High risk flood area across all zones	(I) Activity status: NC
NH-R2I	Subdivision that does not comply with Rule NH-R19
	This rule does not apply to subdivision for a utility allotment, access allotment or subdivision to create a reserve allotment.
High risk flood area across all zones	(I) Activity status: NC
NH-R22	Emergency service facilities and hospitals
High risk flood area across all zones	(I) Activity status: NC

Defended area (Residual risk)

NH-R23	Activities are permitted activities within the Defended area identified on the planning maps, unless specified in Rules NH-R24 to NH-R26 below, or as otherwise specified in the relevant zone chapter or the Part 2 – District-wide matters chapters	
Defended area	(I) Activity status: PER	(2) Activity status where
across all	Activity-specific standards:	compliance not achieved: n/a
zones	Nil.	
NH-R24	Subdivision that creates one or more ad	ditional vacant lot(s).
	This rule does not apply to subdivision for a utility allotment, an access allotment or subdivision to create a reserve allotment.	
Defended area	(I) Activity status: RDIS	(2) Activity status where
across all	Activity-specific standards:	compliance not achieved: n/a
zones	Nil.	
	Council's discretion is restricted to the following matters: (a) The actual level of service provided by the structural defence and associated flood protection works, including any change in the level of service anticipated due to climate change and sea level rise;	

	(b) The impact of any planned improvements, maintenance or	
	upgrading on the residual risk;	
	(c) The effect of groundwater levels	
	and variability in ground	
	conditions on stop-bank security	
	at and adjacent to the site to be subdivided;	
	 (d) The likely depth and duration of flooding as a result of a breach or overtopping event or flood ponding; 	
	(e) The location of the subdivision,	
	including services such as	
	wastewater, water supply and	
	roading/access (including escape	
	routes), in relation to potential	
	breakout points (failure zone);	
	(f) The adverse effects on:	
	(i) People and property,	
	(ii) Historic heritage and Sites	
	and Areas of Significance to Maaori, and	
	,	
	(iii) Overall vulnerability from potential failure or	
	overwhelming of the	
	structural defences and	
	associated flood protection	
	works relevant to the	
	proposed new lot(s);	
	(g) Potential for the development	
	to transfer/increase flood	
	risk/residual risk to neighbouring	
	properties;	
	(h) Any additional mitigation	
	measures proposed or site features which reduce residual	
	risk (e.g., natural high ground;	
	evacuation plan).	
NH-R25	Construction of a new building, or recor	nstruction of, or new accessory building,
	located within 50m of the toe of a stop-l responsibility of the Council, the Waikat	bank where the stop-bank is under the
Defended area	(I) Activity status: DIS	
across all		
zones		
NH-R26	Earthworks located within 50m of the to under the responsibility of the Council, t Crown.	
	This rule does not apply to earthworks a maintenance of tracks and fences for farr	

	where the written approval of the authority managing the stop-bank has been obtained.
	Advice note: To seek written approval contact the Waikato Regional Council Integrated Catchment Management Group.
Defended area across all	(I) Activity status: DIS
zones	

Coastal sensitivity areas

tatus where
not achieved: RDIS
cretion is restricted
ing matters:

		(i) Whether there is any suitable alternative location for the activity to locate within the site.
NH-R28	Construction of an accessory building without a floor	
Coastal sensitivity area (Erosion) and the Coastal sensitivity area (Inundation) across all zones	(I) Activity status: PER Activity-specific standards: Nil	(2) Activity status where compliance not achieved: n/a
NH-R29	Construction of a farm building without	a floor
Coastal	(I) Activity status: PER	(2) Activity status where
sensitivity area (Erosion) and the Coastal sensitivity area (Inundation) across all zones	Activity-specific standards: Nil	compliance not achieved: n/a
NH-R30	Construction, upgrading, minor upgradin	• • •
	of utilities excluding hard protection structures.	
Coastal	(I) Activity status: PER	(2) Activity status where
sensitivity area (Erosion) and the Coastal sensitivity area (Inundation) across all zones	Activity-specific standards: Nil	compliance not achieved: n/a
NH-R31	Maintenance or repair of an existing laws	fully established hard protection
Coastal	(I) Activity status: PER	(2) Activity status where
sensitivity area (Erosion) and the Coastal sensitivity area (Inundation) across all zones	Activity-specific standards: Nil	compliance not achieved: n/a
NH-R32	Construction of a new building, or reconstruction of, or additions to existing buildings in the RPZ – Rangitahi Peninsula zone and Coastal sensitivity area (Erosion) on a certificate of title which was created by subdivision consent granted between 28 September 2015 and 17 January 2022	
Coastal	(I) Activity status: PER	(2) Activity status where
sensitivity area (Erosion) and the Coastal sensitivity area	Activity-specific standards: (a) Compliance with the requirements of any consent	compliance not achieved: RDIS Council's discretion is restricted to the following matters:
(Inundation) across all zones	notice for the certificate of title pursuant to section 221 of the Resource Management Act 1991 containing specific design or	 (a) The ability to manage coastal hazard risk through appropriate building materials, structural or design work, engineering

	location requirements for buildings.	 solutions, and other appropriate mitigation measures, including the ability to relocate the building; (b) The setting of minimum floor levels where appropriate; (c) The application of mitigation through natural features and buffers where appropriate; (d) The ability to impose time limits or triggers to determine when the building and services to be removed or relocated; (e) The degree to which coastal hazard risk, including the effects of climate change over a period to 2120, has been assessed in a site specific coastal hazard risk assessment; (f) Suitability of the site for the proposed use, including the provision for servicing such as access, wastewater, stormwater, and water supply; (g) Adverse effects to people and property and overall vulnerability from the establishment of the new building or additions to an existing building (h) Any mitigation measures to reduce risk; and (i) Whether there is any suitable alternative location for the
NH-R33	Construction of a new building or additi	
Coastal	for in Rules NH-R27- NH-R30 and NH-	
sensitivity area (Erosion) and the Coastal sensitivity area (Inundation)	 (1) Activity status: RDIS Activity-specific standards: Nil Council's discretion is restricted to the following mattern 	(2) Activity status where compliance not achieved: n/a
across all zones	to the following matters: (a) The ability to manage coastal hazard risk through appropriate building materials, structural or design work, engineering solutions, and other appropriate mitigation measures, including the ability to relocate the building;	

		1
	(b) The setting of minimum floor	
	levels where appropriate;	
	(c) The application of mitigation	
	through natural features and	
	buffers where appropriate;	
	(d) The ability to impose time limits	
	or triggers to determine when	
	the building and services to be	
	removed or relocated;	
	(e) The degree to which coastal	
	hazard risk, including the effects	
	of climate change over a period	
	to 2120, has been assessed in a	
	site specific coastal hazard risk	
	assessment;	
	(f) Suitability of the site for the	
	proposed use, including the	
	provision for servicing such as	
	access, wastewater, stormwater,	
	and water supply;	
	(g) Adverse effects to people and	
	property and overall	
	vulnerability from the	
	establishment of the new	
	building or additions to an	
	existing building	
	(h) Any mitigation measures to	
	reduce risk; and	
	(i) Whether there is any suitable	
	alternative location for the	
	activity to locate within the site.	
NH-R34	Any subdivision to create any additional	vacant lots where the additional vacant
_	lot(s) are located partially or entirely wit	
	(Inundation), Coastal sensitivity area (Ero	-
	This rule does not apply to subdivision for	or a utility allotment, access allotment or
	subdivision creating a reserve allotment	
Coastal	(I) Activity status: RDIS	(2) Activity status where
sensitivity area	Activity-specific standards:	compliance not achieved: n/a
(Erosion) and	Nil	
the Coastal		
sensitivity area	Council's discretion is restricted	
(Inundation)		
across all	to the following matters:	
zones	(a) Whether the vacant lot(s) are	
	capable of containing a	
	complying building platform	
	entirely outside the Coastal	
	sensitivity area (Inundation), or	
	the Coastal sensitivity area	
	(Erosion); or $(h) \lambda h$	
	(b) Where the vacant lot(s) are not capable of containing a	
	capable of confaining a	

	complying building platform	
	entirely outside of the Coastal	
	sensitivity area (Inundation), or	
	the Coastal sensitivity area	
	(Erosion):	
	(i) The degree to which coastal	
	hazard risk, including the	
	effects of climate change over	
	a period to 2120, has been	
	assessed in a site specific	
	coastal hazard risk	
	assessment;	
	,	
	(ii) Suitability of the vacant lot	
	for the likely future uses,	
	including the provision for	
	servicing such as access,	
	wastewater, stormwater, and	
	water supply;	
	(iii) The degree to which	
	alternative subdivision	
	layout(s) have been	
	investigated to avoid or	
	mitigate coastal hazards;	
	(iv) Adverse effects to people,	
	property and the	
	environment and overall	
	vulnerability from the likely	
	future uses, including any	
	mitigation measures to	
	reduce risk; and	
	,	
	(v) The setting of minimum floor	
	levels in areas subject to	
	inundation.	
NH-R35	Construction of a new hard protection s	
	upgrade or replacement of an existing ha	
Coastal	(I) Activity status: RDIS	(2) Activity status where
sensitivity area	Activity-specific standards:	compliance not achieved: n/a
(Erosion) and	Nil	
the Coastal		
sensitivity area	Councilla diagnostion is most inter l	
(Inundation)	Council's discretion is restricted	
across all	to the following matters:	
zones	(a) Whether structures have	
	primarily a public and/or	
	environmental benefit when	
	located on public land;	
	(b) The extent to which the	
	structure is effective,	
	considering a range of coastal	
	hazard events including the	
	effects of climate change and the	
	activities or development they	
	are designed to protect;	
		1

I		
	(c) The extent to which economic, social and environmental	
	benefits outweigh costs;	
	-	
	(d) Whether risk to people, property, infrastructure,	
	environment, historic heritage	
	or sites and areas of significance	
	to Maaori is not transferred or	
	increased;	
	(e) The extent to which structures	
	are located as far landward as	
	practicable;	
	(f) Whether public access both to	
	and along the coastal area and to	
	the coastal marine area are	
	provided for where the	
	structure is located on public land; and	
	,	
	(g) Whether an adaptive management strategy has been	
	prepared to manage coastal	
	hazards, and whether the	
	structure is consistent with that	
	strategy.	

High risk coastal erosion area

NH-R36	Construction of an accessory building without a floor	
High risk coastal erosion area across all zones	 (1) Activity status: PER Activity-specific standards: (a) The gross floor area of the building does not exceed 40m². 	(2) Activity status where compliance not achieved: NC
NH-R37	Construction of a farm building without	a floor
High risk coastal erosion area across all zones	 (1) Activity status: PER Activity-specific standards: (a) The gross floor area of the building does not exceed 40m². 	(2) Activity status where compliance not achieved: NC
NH-R38	Repair, maintenance or minor upgrading of existing utilities excluding hard protection structures	
High risk coastal erosion area across all zones	(1) Activity status: PER Activity-specific standards: Nil.	(2) Activity status where compliance not achieved: n/a
NH-R39	Construction, operation, replacement or upgrading of telecommunications lines, poles, cabinets and masts/poles supporting antennas	
High risk coastal erosion area across all zones	(I) Activity status: PER Activity-specific standards: Nil.	(2) Activity status where compliance not achieved: n/a

NH-R40	New electricity lines, poles, cabinets and	l masts/ poles supporting antennas
High risk	(I) Activity status: PER	(2) Activity status where
coastal	Activity-specific standards:	compliance not achieved: n/a
erosion area	Nil.	-
across all	INII.	
zones		
NH-R4I	Maintenance or repair of an existing lawfully established hard protection structure.	
High risk	(I) Activity status: PER	(2) Activity status where
coastal	Activity-specific standards:	compliance not achieved: n/a
erosion area	Nil.	
across all		
zones		
NH-R42	Earthworks for an activity listed in Rules maintenance and repair of access tracks	NH-R36 – NH-R41, including the
High risk	(I) Activity status: PER	(2) Activity status where
coastal	Activity-specific standards:	compliance not achieved: DIS
erosion area	(a) The maximum volume of filling	
across all	does not exceed 10m ³ per site;	
zones	and	
	(b) The maximum depth of any	
	excavation or filling does not	
	exceed 0.5m above or below	
	ground level.	
NH-R43	Construction of a new hard protection s upgrade or replacement of an existing ha	
High risk	(I) Activity status: RDIS	(2) Activity status where
coastal	Activity-specific standards:	compliance not achieved: n/a
erosion area	Nil	
across all		
zones	Council's discretion is restricted	
	to the following matters:	
	(a) Whether structures have	
	primarily a public and/or	
	environmental benefit when	
	located on public land;	
	(b) The extent to which the	
	structure is effective,	
	considering a range of coastal	
	hazard events including the	
	hazard events including the effects of climate change and the	
	effects of climate change and the activities or development they	
	effects of climate change and the activities or development they are designed to protect;	
	effects of climate change and the activities or development they are designed to protect; (c) The extent to which economic,	
	effects of climate change and the activities or development they are designed to protect; (c) The extent to which economic, social and environmental	
	effects of climate change and the activities or development they are designed to protect; (c) The extent to which economic, social and environmental benefits outweigh costs;	
	 effects of climate change and the activities or development they are designed to protect; (c) The extent to which economic, social and environmental benefits outweigh costs; (d) Whether risk to people, 	
	 effects of climate change and the activities or development they are designed to protect; (c) The extent to which economic, social and environmental benefits outweigh costs; (d) Whether risk to people, property, infrastructure, 	
	 effects of climate change and the activities or development they are designed to protect; (c) The extent to which economic, social and environmental benefits outweigh costs; (d) Whether risk to people, property, infrastructure, environment, historic heritage 	
	 effects of climate change and the activities or development they are designed to protect; (c) The extent to which economic, social and environmental benefits outweigh costs; (d) Whether risk to people, property, infrastructure, environment, historic heritage or sites and areas of significance 	
	 effects of climate change and the activities or development they are designed to protect; (c) The extent to which economic, social and environmental benefits outweigh costs; (d) Whether risk to people, property, infrastructure, environment, historic heritage 	

	 (e) The extent to which structures are located as far landward as practicable; (f) Whether public access both to and along the coastal area and to the coastal marine area are provided for where the structure is located on public land; and (g) Whether an adaptive management strategy has been prepared to manage coastal hazards, and whether the structure is consistent with that strategy. 	
NH-R44	Earthworks not provided for in Rule NH-42	
High risk coastal erosion area across all zones	Activity status: DIS	
NH-R45	Relocation of an existing building within the same site where the building is relocated landward of its existing position	
High risk coastal erosion area across all zones	Activity status: DIS	
NH-R46	Replacement of an existing building within the same site where:	
	 Replacement of an existing building within the same site where: (a) The replacement building is located landward of the existing building that it replaces; (b) The replacement building is relocatable on a suspended timber floor; and (c) The gross floor area of the replacement building is no larger than the existing building that it replaces 	
High risk	Activity status: DIS	
coastal erosion area across all zones		
NH-R47	Construction of new utilities not provided for in Rules NH-R39 and NH-R40	
High risk coastal erosion area across all zones	Activity status: DIS	
NH-R48	Upgrading of existing utilities not provided for in Rules NH-R38 and NH-R39	
High risk coastal erosion area across all zones	Activity status: DIS	

NH-R49	Subdivision that creates one or more additional vacant lot(s) where the additional lot(s) are partially within the High risk coastal erosion area and each additional lot(s) contains a net site area capable of containing a complying building platform entirely outside the High risk coastal erosion area. This rule does not apply to subdivision for a utility allotment, access allotment or subdivision to create a reserve allotment.
High risk coastal erosion area across all zones	Activity status: DIS
NH-R50	Construction of a new building or additions to an existing building, not provided for in Rules NH-R36 – NH-R40, NH-R45 – NH-R48
High risk coastal erosion area across all zones	Activity status: NC
NH-R51	Subdivision to create one or more additional lot(s) that does not comply with Rule NH-R49. This rule does not apply to subdivision for a utility allotment, access allotment or subdivision to create a reserve allotment.
High risk coastal erosion area across all zones	Activity status: NC
NH-R52	Emergency service facilities and hospitals
High risk coastal erosion area across all zones	Activity status: NC

High risk coastal inundation area

NH-R53	Construction of an accessory building without a floor	
High risk	(I) Activity status: PER	(2) Activity status where
coastal	Activity-specific standards:	compliance not achieved: NC
inundation area across all zones	(a) The gross floor area of the building does not exceed 40m ² .	
NH-R54	Construction of a farm building without a floor	
High risk	(I) Activity status: PER	(2) Activity status where
coastal inundation area across all zones	Activity-specific standards: (a) The gross floor area of the building does not exceed 40m ² .	compliance not achieved: NC
NH-R55	Repair, maintenance or minor upgrading of existing utilities excluding hard protection structures	

High risk	(I) Activity status: PER	(2) Activity status where	
coastal	Activity-specific standards:	compliance not achieved: n/a	
inundation	Nil.		
area across all			
zones			
NH-R56	Construction, operation, replacement or upgrading of telecommunications lines, poles, cabinets and masts/poles supporting antennas		
High risk	(I) Activity status: PER	(2) Activity status where	
coastal		compliance not achieved: n/a	
inundation	Activity-specific standards:		
area across all	Nil.		
zones			
NH-R57	New electricity lines, poles, cabinets and		
High risk	(I) Activity status: PER	(2) Activity status where	
coastal	Activity-specific standards:	compliance not achieved: n/a	
inundation	Nil.		
area across all			
zones NH-R58	Maintenance or repair of an existing law	I fully established hard protection	
	structure.		
High risk	(I) Activity status: PER	(2) Activity status where	
coastal	Activity-specific standards:	compliance not achieved: n/a	
inundation	Nil.		
area across all			
zones			
NH-R59	Earthworks for an activity listed in Rules maintenance and repair of access tracks	s NH-K53 – NH-K57, including the	
High risk	(I) Activity status: PER	(2) Activity status where	
coastal	Activity-specific standards:	compliance not achieved: DIS	
inundation	(a) The maximum volume of filling		
area across all	does not exceed 10m ³ per site;		
zones	and		
	(b) The maximum depth of any		
	excavation or filling does not		
	exceed 0.5m above or below		
	ground level.		
NH-R60	Construction of a new hard protection	•	
	upgrade or replacement of an existing hard protection structure.		
High risk	(I) Activity status: RDIS	(2) Activity status where	
coastal	Activity-specific standards:	compliance not achieved: n/a	
inundation	Nil		
area across all			
zones	Council's discretion is restricted		
	to the following matters:		
	(a) Whether structures have		
	primarily a public and/or		
	environmental benefit when		
	located on public land;		
	(b) The extent to which the		
	structure is effective,		
	considering a range of coastal		
	hazard events including the		

	building platform entirely outside the High risk coastal inundation area. This rule does not apply to subdivision for a utility allotment, access allotment of subdivision to create a reserve allotment.	
NH-R64	Subdivision that creates one or more additional vacant lot(s) where the additional lot(s) are partially within the High risk coastal inundation area and each additional lot(s) contains a net site area capable of containing a complying building a late and each additional lot(s) contains a net site area capable of containing a complying	
inundation area across all zones		
High risk coastal	Activity status: DIS	
NH-R63	Upgrading of existing utilities not provided for in Rules NH-R55 and NH-R56	
inundation area across all zones		
coastal		
High risk	Activity status: DIS	
area across all zones NH-R62	Construction of new utilities not provided for in Rules NH-R56 and NH-R57	
coastal inundation		
High risk	Activity status: DIS	
NH-R61	Earthworks not provided for in Rule NH-59	
	structure is consistent with that strategy.	
	hazards, and whether the	
	management strategy has been prepared to manage coastal	
	(g) Whether an adaptive	
	structure is located on public land; and	
	provided for where the	
	and along the coastal area and to the coastal marine area are	
	(f) Whether public access both to	
	are located as far landward as practicable;	
	(e) The extent to which structures	
	environment, historic heritage or sites and areas of significance to Maaori is not transferred or increased;	
	property, infrastructure,	
	benefits outweigh costs; (d) Whether risk to people,	
	social and environmental	
	are designed to protect; (c) The extent to which economic,	
	effects of climate change and the activities or development they	

High risk coastal	Activity status: DIS	
inundation		
area across all		
zones		
NH-R65	Construction of a new building or additions to an existing building, not provided for in Rules NH-R53 – NH-R57, NH-R62 – NH-R63	
High risk	Activity status: DIS	
coastal		
inundation		
area across all		
zones		
NH-R66	Subdivision to create one or more additional lot(s) that does not comply with Rule NH-R64	
	This rule does not apply to subdivision for a utility allotment, access allotment or	
	subdivision to create a reserve allotment.	
Lligh wield		
High risk coastal	Activity status: NC	
ee ao ta.		
inundation		
area across all		
zones		
NH-R67	Emergency service facilities and hospitals	
High risk	Activity status: NC	
coastal		
inundation		
area across all		
zones		

Mine subsidence risk area

NH-R68	Additions to an existing building	
Mine subsidence risk area across all zones	 (1) Activity status: PER Activity-specific standards: (a) Additions do not increase the gross floor area of the building by more than 15m²; and (b) Additions do not result in the length of any wall of the building exceeding 20m. 	 (2) Activity status where compliance not achieved: RDIS Council's discretion is restricted to the following matters: (a) Construction standards and materials; (b) Suitability of the site for development; and (c) The potential effects on health and safety.
NH-R69	Standalone garage	
Mine subsidence risk area across all zones	(I) Activity status: PER Activity-specific standards:	(2) Activity status where compliance not achieved: RDIS
	 (a) The gross floor area of the building does not exceed 55m²; and (b) The maximum length of any wall does not exceed 20m. 	Council's discretion is restricted to the following matters: (a) Construction standards and materials; (b) Suitability of the site for development; and

		(c) The potential effects on health and safety.
NH-R70	Construction, replacement, repair, minor upgrading, upgrading or maintenance of utilities and associated earthworks	
Mine subsidence risk area across all zones	(1) Activity status: PER Activity-specific standards: Nil.	(2) Activity status where compliance not achieved: n/a
NH-R7I	Earthworks	
Mine subsidence	(I) Activity status: PER Activity-specific standards:	(2) Activity status where compliance not achieved: RDIS
risk area across all zones	 (a) The maximum volume of filling does not exceed 20m³ per site; and (b) The maximum depth of any 	Council's discretion is restricted to the following matters:
		 (a) Location and scale of earthworks; (b) Control prior load and scale size!
	excavation or filling does not exceed 1m above or below ground level.	 (b) Geotechnical and geological stability of the site following the completion of earthworks;
		(c) Risk to people and property from subsidence as a result of earthworks; and
		(d) Any other mitigation measures to reduce risk.
NH-R72	The construction or alteration of a building that is not provided for under Rule Rules NH-R68 – NH-R71 where a Consent Notice is registered against the Record of Title confirming that a geotechnical assessment has been approved at the time of subdivision and the approved geotechnical report confirms that the ground is suitable for building development and the building development is in	
Mine	accordance with any recommendations of the geotechnical report.(1) Activity status: CON(2) Activity status where	
subsidence risk area across all zones	Activity-specific standards: Nil.	compliance not achieved: n/a
	Council's control is reserved to the following matters:	
	 (a) The degree to which the requirements and recommendations of the geotechnical report approved at the time of subdivision have been incorporated in the building design; and (b) Whether confirmation is 	
	(b) whether commutation is provided from a suitably experienced and qualified geotechnical engineer that confirms the proposed building development is consistent with the recommendations and requirements of the geotechnical	

	report approved at the time of subdivision.	
NH-R73	Construction of a building, or reconstruction of, or accessory building or the reconstruction of or additions to an existing building not provided for in Rules NH-R68 – NH-R70 or NH-R72	
Mine	(I) Activity status: RDIS	(2) Activity status where
subsidence risk area across all zones	Activity-specific standards: Nil.	compliance not achieved: n/a
	Council's discretion is restricted to the following matters:	
	(a) Construction standards and materials;	
	(b) Suitability of the site for development; and	
	(c) The potential effects on health and safety.	
NH-R74	Subdivision to create one or more addit allotment, access allotment or subdivision	
Mine	Activity status: DIS	
subsidence		
risk area		
across all		
zones		

Liquefaction

NH-R75	Overview of method
All zones	 (1) Areas in the District susceptible to liquefaction have not been identified on the planning maps as a natural hazard overlay as is the case with the other natural hazards in this chapter. Where specific land uses have already been identified as restricted discretionary activities in the activity status tables in the relevant zone, liquefaction risk has been added as a matter over which the Council will reserve its discretion, where it is considered relevant for that activity. To satisfy the requirements of sections 104 and 106 of the RMA, identification of appropriate mitigation may be required where the site and proposed development are considered vulnerable to liquefaction based on site-specific characteristics. It is expected that best practice geotechnical and engineering methods will be used to ensure that the site is suitable for the intended use. (2) Where potential liquefaction risk is identified as a matter that the Council restricts its discretion to, the additional matters outlined in Rules NH-R76 and NH-R77 below apply where relevant.
NH-R76	Additional matters of restricted discretion for subdivision to create one or more additional vacant lots – liquefaction risk
All zones	(1) Where potential liquefaction risk is identified as a matter that the Council will restrict its discretion to in a subdivision rule elsewhere in this Plan, and where that proposal involves subdivision to create one or more additional vacant lots, the Council restricts its discretion to the following additional matters (note: these matters will also be relevant to the assessment of a discretionary or non-complying resource consent application where a potential liquefaction hazard has been identified on a site):

	 (a) Geotechnical assessment and/or investigation of any potential liquefaction hazard on the site at a level sufficient to confirm the level of risk and its suitability for the proposed activity (refer to the information requirements in section below); 	
	(b) Measures proposed to mitigate the effects of liquefaction hazard if present including:	
	 (i) Location, size, layout and design of allotments, structures, and building platforms, including consideration given to alternative siting away from where liquefaction risk is greatest; 	
	(ii) Location, timing, scale and nature of earthworks;	
	(iii) Provision for ground strengthening and foundation design;	
	(iv) Provision for resilient services and infrastructure, including	
	wastewater, water supply, roads and access;	
	 (v) Setbacks in relation to waterways, waterbodies or any steep change in ground elevation, sloping ground or free face, or alternative geotechnical measures to address any identified potential for lateral spread; and 	
	(vi) Effects on adjoining properties.	
NH-R77	Additional matters of restricted discretion for new land use (e.g., multi-unit development) – liquefaction risk	
All zones	(1) Where potential liquefaction risk is identified as a matter that the Council will restrict its discretion to in a rule elsewhere in this Plan for new land use, the Council restricts its discretion to the following additional matters (note: these matters will also be relevant to the assessment of a discretionary or non-complying resource consent application where a potential liquefaction hazard has been identified on a site):	
	 (a) Geotechnical assessment and/or investigation of any potential liquefaction hazard on the site at a level sufficient to confirm the level of risk and its suitability for the proposed activity (refer to the information requirements in section below); 	
	(b) Measures proposed to mitigate the effects of liquefaction hazard, if present, including:	
	 (i) Location, size, layout and design of buildings, structures, car parking areas, access and provision for resilient infrastructure and services, including wastewater, stormwater and water supply; 	
	(ii) Location, timing, scale and nature of earthworks;	
	(iii) Provision for ground strengthening and foundation design;	
	 (iv) Setbacks in relation to waterways, waterbodies or any steep change in ground elevation, sloping ground (or free face, or alternative geotechnical measures to address any identified potential for lateral spread); 	
	 (v) Consideration given to ease of repair (including access to repair damaged structures) of liquefaction-induced damage; and 	
	(vi) Effects on adjoining properties.	

Advice note:

Effects on archaeological sites, both recorded (identified by the New Zealand Archaeological Association) and unrecorded, are regulated under the Heritage New Zealand Pouhere Taonga Act 2014. Heritage New Zealand Pouhere Taongo must be contacted regarding development and the need to undertake an archaeological assessment to determine the need for an archaeological authority. In the event of an

accidental discovery, the Heritage New Zealand Pouhere Taonga Lower Northern Office must be contacted immediately.

Information Requirements for all resource consent applications addressing natural hazards

NH-INFOI – General

- (1) The following documents, to the extent relevant to the proposal:
 - (a) Geotechnical assessment, including identification and assessment of any potentially liquefaction prone land and land subject to slope instability;
 - (b) An assessment of natural hazard risk, including the type of natural hazards present, such as flooding, slope stability, liquefaction, subsidence and coastal hazards. The assessment shall include the level of risk and any increase in risk as a result of the proposal associated with each hazard. Where applicable, the projected effects of climate change over the period to 2120 must be included;
 - (c) Remediation and mitigation measures necessary to make the site and any proposed buildings suitable for the proposed use, such as minimum floor levels, foundation design for relocatability, and appropriate time limits and/or triggers for the removal of any building and onsite wastewater disposal systems.
- (2) Plans identifying:
 - (a) Topographical features within the site and surrounding area; and
 - (b) The location of natural hazards on all or part of the site.
- (3) Consideration of the information contained in the following stormwater catchment management plans, or any approved updated version, where relevant:
 - (a) Ngaruawahia Catchment Management Plan, March 2015;
 - (b) Tamahere Stormwater Catchment Management Plan and Report, 2011
 - (c) Port Waikato Stormwater Catchment Management Plan and Report, 2004;
 - (d) Pokeno Catchment Management Plan, 2010;
 - (e) Te Kauwhata Catchment Management Plan, 2009; or
 - (f) Tuakau Catchment Management Plan, Draft 2014.

NH-INFO2 – Liquefaction potential

- (1) For land use resource consent applications where the additional matters the Council will restrict its discretion to include liquefaction, as per Rule NH-R77, the following information is required:
 - (a) A preliminary geotechnical assessment in sufficient detail to determine:
 - (i) The liquefaction vulnerability category, being either "liquefaction damage is unlikely" or "liquefaction damage is possible", as shown in Table 4.4 in "Preliminary Document: Planning and engineering guidance for potentially liquefaction prone land Resource Management Act and Building Act aspects. Pub MfE and MBIE, September 2017"; or
 - (ii) Whether or not the site is susceptible to liquefaction using an alternative accepted method, observation, or desktop study.
 - (b) Where a "liquefaction damage is possible" category has been identified for the site as per NH-INFO2(1)(a)(i) above, or an alternative accepted method, observation or desktop study indicates that the site is susceptible to liquefaction as per NH-INFO2(1)(a)(ii) above, the assessment will be required to determine the liquefaction vulnerability in more detail, and in proportion to the scale and significance of the liquefaction hazard, and must:
 - (i) Identify any areas which require particular ground strengthening or other mitigation measures, and recommendations for such mitigation; and

- (ii) Identify areas to be excluded from built development, due to liquefaction hazard constraints (which includes lateral spread), or which require geotechnical setbacks; and
- (iii) Indicate options and recommended locations for the proposed activities and infrastructure recommended by the geotechnical engineer.
- (c) All geotechnical assessments in respect of liquefaction risk are to be prepared by a suitably qualified and experienced engineer with experience in geotechnical engineering or a Professional Engineering Geologist (IPENZ registered).
- (2) For subdivision consent applications that create one or more additional vacant lots as per Rule NH-R76:
 - (a) An assessment in accordance with NH-INFO2(1)(a) above will be required to be provided.
 - (b) Where a "liquefaction damage is possible" category has been identified for the site as per 15.13.2(1)(a)(i) above, or an alternative accepted method, observation, or desktop study indicates that the site is susceptible to liquefaction as per NH-INFO2(1)(a)(ii)above, the subdivision application will be required to include sufficient information and proposed measures to satisfy that liquefaction risk can be adequately avoided, remedied or mitigated, including the potential effects of lateral spread.
 - (c) Subdivision plans shall show, to the extent relevant or appropriate to the scale and significance of the liquefaction hazard identified:
 - (i) Any areas which require particular ground strengthening or other mitigation
 - (ii) Measures, and recommendations for such mitigation; and
 - (iii) Any areas which should be excluded from built development due to geotechnical constraints, or which require geotechnical setbacks; and
 - (iv) Any features of subdivision layout recommended by the geotechnical engineer, for example any recommended locations for proposed activities and other infrastructure as a result of geotechnical constraints.
 - (d) All geotechnical reports in respect of liquefaction potential are to be prepared by a suitably qualified and experienced engineer with experience in geotechnical engineering or Professional Engineering Geologist (IPENZ registered).

NH-INFO3 - RLZ - Rural lifestyle zone in Tamahere

(1) Any resource consent in relation to land located in the RLZ – Rural lifestyle zone in Tamahere will be required to include details of ponding of stormwater and overland flow paths as a result of a 1% AEP storm event (with rainfall events adjusted for climate change), as well as mitigation measures taking account of information that the Council holds in respect to the Tamahere stormwater catchment area.

NH-INFO3 – Defended areas

- For any Restricted Discretionary Activity land use and subdivision applications within the Defended Area, the following information is required to the extent relevant to the scale of the proposal:
 - (a) A risk assessment, carried out by a suitably-qualified and experienced risk assessment practitioner, which identifies the nature and level of residual risk, and details of appropriate methods to further reduce residual risk, where appropriate.

Appendix I – Tracked change version of the agreed changes to the NH – Natural hazards and climate change chapter of the PDP decisions version

* Note: There are other outstanding appeals on this chapter.

NH – Natural hazards and climate change

The relevant area specific zone chapter provisions apply in addition to this chapter.

Overview

- (1) The NH Natural hazards and climate change chapter identifies risks associated with natural hazards and manages land use in areas subject to risk from natural hazards. It identifies areas where certain types of new development will be avoided because of the natural hazards present, but also recognises that there is existing development, including infrastructure, already located on land subject to natural hazards. These areas will require management through mitigation and adaptation to ensure that the risk of damage to property, or injury or loss of lives is not increased.
- (2) This chapter sets out a two-tiered approach where natural hazard risk from subdivision, use and development is to be avoided within the following identified high risk natural hazard areas:
 - (a) High Risk Flood Area;
 - (b) High Risk Coastal Inundation Area; and
 - (c) High Risk Coastal Erosion Area.
- (3) Outside of these areas, subdivision, use and development is provided for where natural hazard risk can be adequately avoided, remedied or mitigated and the risk is not exacerbated or transferred to adjoining sites.
- (4) The following natural hazards areas have been identified and mapped in the District Plan:

Overlay	Description
	Flood hazards
High flood risk area Identifies areas within the floodplain where the depth of flood water in a 1% AEP flood event exceeds 1 metre and the speed of flood water exceeds 2 metres per second, or the flood depth multiplied by the flood speed exceeds one.	
Flood plain management area	Identifies the 1% Annual Exceedance Probability (AEP) floodplain and has been developed through both ID and 2D modelling, depending on the level of information available.
Flood ponding area	Identifies areas that experience floodwater ponding in a 1% AEP rainfall event.
Residual risk areas / Defended areas lidentifies areas of land that would be at risk from a natural hazard event if it were not for a structural defence such as a stop bank. Coastal hazards	
High risk coastal inundation area / High risk coastal erosion area	Identify land where there is significant risk from either coastal inundation or coastal erosion with existing sea level and coastal processes.

Coastal sensitivity area (Erosion) / Coastal sensitivity area (Inundation)	Identify land that is potentially vulnerable to either coastal erosion or coastal inundation over a 100 year period to 2120, assuming a sea level rise of 1.0 metre.
	Subsidence risk
Mine subsidence risk area Identifies an area where subsidence has occurred	
Huntly due to former underground coal mining.	

Objectives

NH-OI High risk natural hazards areas.

In an identified high risk natural hazards area, the risks associated with natural hazards on people, property and infrastructure from subdivision, use and development of land are avoided.

NH-O2 Areas at risk from natural hazards.

Subdivision, use and development within areas at risk from natural hazards are managed so that natural hazard risks on people, property and infrastructure are avoided, remedied or mitigated.

NH-O3 Awareness of natural hazard risks.

Ensure communities respond effectively and efficiently to natural hazards.

NH-O4 Climate change.

Communities are well-prepared to adapt to the effects of climate change.

Policies

- NH-PI New development in areas at high risk from natural hazards.
- (1) Avoid subdivision, use and new development in the following high risk natural hazard areas:
 - (a) High risk flood area;
 - (b) High risk coastal inundation area;
 - (c) High risk coastal erosion area,

where there is an increase in risk to people and property.

NH-P2 Changes to existing land use activities and development in areas at high risk from natural hazards.

In areas of High risk flood, High risk coastal erosion and High risk coastal inundation, ensure that when changes to existing land use activities and development occur, a range of risk reduction options are assessed, and development that would increase risk to people's safety, well-being and property is avoided.

NH-P3 Small scale non-habitable structures in areas subject to high risk from natural hazards.
 Enable small scale accessory and farm buildings to be located within areas at high risk from natural hazards, including High risk flood, High risk coastal inundation and High

risk coastal erosion, provided the risks to people, property and the environment beyond the site are managed to acceptable levels.

NH-P4 New emergency services and hospitals in areas at significant high risk from natural hazards.

Avoid locating new emergency service facilities and hospitals in areas which are at high risk from natural hazards, including High risk flood, High risk coastal inundation and High risk coastal erosion, unless, considering engineering and technical constraints or functional and operational requirements, they cannot be reasonably located elsewhere and will not increase the risk to or vulnerability of people or communities.

- NH-P5 New and upgrading of infrastructure and utilities in areas subject to high risk from natural hazards.
- (1) Enable the construction of new infrastructure, utilities and ancillary activities and upgrading of existing infrastructure and utilities, in areas at high risk from natural hazards, including High risk flood, High risk coastal inundation and High risk coastal erosion areas only where:
 - (a) The infrastructure and utilities are technically, functionally or operationally required to locate in areas subject to natural hazards, or it is not reasonably practicable to be located elsewhere; and
 - (b) Any increased risks to people, property and the environment are mitigated to the extent practicable; and
 - (c) The infrastructure and utilities are designed, maintained and managed, including provision of hazard mitigation works where appropriate, to function to the extent practicable during and after natural hazard events.
- NH-P6 Existing infrastructure and utilities in all areas subject to natural hazards.

Provide for the operation, maintenance and minor upgrading of existing infrastructure and utilities in all areas subject to natural hazards.

- NH-P7 Managing natural hazard risk generally.
- (1) Outside of high risk natural hazard areas, provide for subdivision, use and development where:
 - (a) Natural hazard risk has been appropriately identified and assessed;
 - (b) The risk can be adequately avoided, remedied or mitigated;
 - (c) The risk does not transfer to adjoining sites; and
 - (d) The risk is not exacerbated.
- NH-P8 Protection from risks of coastal hazards.

Recognise the importance of natural features and buffers, and soft hazard protection works, and prefer them wherever practicable over hard protection structures, where new hazard mitigation measures and/or works are required to protect people, property infrastructure and the environment from the risks of coastal hazards.

- NH-P9 Limitations on hard protection works for coastal hazard mitigation.
- (1) Ensure that where hard protection structures and works are proposed to protect existing development on public or privately-owned land from coastal hazards that the following is achieved:
 - (a) The structures have primarily a public and/or environmental benefit when located on public land;
 - (b) The structures are effective considering a range of coastal hazard events including the effects of climate change and the activities or development they are designed to protect;
 - (c) The economic, social and environmental benefits outweigh costs;
 - (d) Risk to people, property, infrastructure, the natural environment, historic heritage or Sites and Areas of Significance to Maaori is not transferred or increased;
 - (e) Structures are located as far landward as practicable; and
 - (f) Public access both to and along the coastal area and to the coastal marine area are provided for where the structure is located on public land
- (2) Ensure that when new hard protection structures are to be located in an area where an adaptive management strategy has been prepared to manage coastal hazards, they are consistent with that strategy.
- (3) Where adaptive management strategies have been prepared, plan change or resource consent processes should have regard to these strategies.
- NH-P10 Natural features and buffers providing natural hazard protection.
- (1) Protect, maintain and, where appropriate, enhance the integrity of natural features and buffers which provide a natural defence against the effects of natural hazards and sea level rise, including natural ponding areas, coastal dunes, intertidal areas, wetlands, waterbody margins, riparian/coastal vegetation and floodways.
- (2) Enable natural systems to adapt and respond to natural coastal processes including the effects of climate change.
- NH-PII Areas defended by stopbanks adjacent to the Waikato River.
- (1) Control subdivision, use and development in areas identified as Defended Areas adjacent to the Waikato River by:
 - (a) Assessing the potential risk of overtopping or structural failure of the stopbanks, and overwhelming of associated flood protection structures, before subdivision, use and development occurs; and
 - (b) Requiring that consideration be given to appropriate mitigation to reduce any residual risk identified to acceptable levels; and
 - (c) Ensuring that any residual risk is not transferred to neighbouring sites; and
 - (d) Recognising the functional needs and operational needs of the National Grid.
- (2) Specify minimum setbacks for buildings and earthworks from stopbanks to:
 - (a) Protect the structural integrity of the stopbanks; and

- (b) Provide a buffer to reduce the potential risk to life and damage to property from deep and fast-flowing flood waters in the event of a breach.; and
- (c) Enable minor earthworks for the maintenance and/or repair of farm tracks where appropriate to maintain well-being and prevent harm from inundation, such as to enable the movement of livestock when there is flooding.
- NH-P12 New development that creates demand for new protection structures and works.

Avoid locating new subdivision, use and development in High risk flood, High risk coastal inundation and High risk coastal erosion areas where a demand or need for new structural protection works will be required to reduce the risk from natural hazards to acceptable levels.

- NH-P13 Reduce potential for flood damage to buildings located on the floodplains and flood ponding areas.
- (1) Reduce the potential for flood damage to buildings located on floodplains and flood ponding areas by ensuring that the minimum floor level of building development is above the design flood levels/ponding levels in a 1% AEP flood event, plus an allowance for freeboard, unless:
 - (a) The building is of a type that is not likely to suffer material damage during a flood; or
 - (b) The building is a small-scale addition to an existing building; or
 - (c) The risk from flooding is otherwise avoided, remedied or mitigated.
- NH-P14 Control filling of land within the 1% AEP floodplain and flood ponding areas.

Control filling of land within the 1% AEP floodplain and flood ponding areas to ensure that the potential adverse effects on flood storage capacity, overland flows, run-off volumes on surrounding properties or infrastructure, are avoided or mitigated.

- NH-P15 Managing flood hazards through integrated catchment management.
- Manage flood hazards by requiring new subdivision and development within floodplains, flood ponding areas and overland flow paths to adopt integrated catchment plan-based management methods which:
 - (a) Maintain the function of natural floodplains, wetlands and ponding areas including flood storage capacity; and
 - (b) Retain the function and capacity of overland flow paths to convey stormwater run-off; and
 - (c) Do not transfer or increase risk elsewhere within the catchment; and
 - (d) Promote best practice stormwater management with reference to the Waikato Stormwater Management Guideline and the Regional Infrastructure Technical Specifications (RITS); and
 - (e) Minimise impervious surfaces.
- NH-PI6 Development in the coastal sensitivity areas.
- (1) In coastal sensitive areas, control subdivision, use and development by ensuring that the subdivision, use and development is:

- (a) Supported by a detailed site specific risk assessment, which includes measures to address the effects of climate change; and
- (b) Designed, constructed and located to minimise the level or risk to people, property and the environment.
- NH-P17 Setbacks from the coast.

Avoid increasing the risk from coastal hazards by requiring new built development to be set back from the coastal edge, unless there is a functional or operational need for facilities to be located at or near the coast.

- NH-P18 Residential development and subdivision potentially subject to fire risk.
- (1) In areas assessed or identified as being potentially subject to elevated fire risk, ensure that an appropriate design and layout, including a buffer area or setback, is provided around for new residential subdivision and development, and the following matters are considered:
 - (a) Access for emergency service vehicles;
 - (b) Provision of and access to emergency firefighting water supply;
 - (c) Separation and management of vegetation (with regard to slope, aspect, management regimes and use of less flammable vegetation); and
 - (d) The design and materials of any buildings.
- NH-P19 Development on land subject to instability or subsidence.

Avoid locating new subdivision, use and development, including rezoning, on land assessed as being subject to, or likely to be subject to, instability or subsidence, unless appropriate mitigation is provided and the activity does not increase the risk to people, property or infrastructure.

- NH-P20 Development of land in the Mine subsidence risk area
- (1) On land identified within the Mine subsidence risk area, ensure that:
 - (a) An assessment by an appropriately qualified engineer occurs before subdivision, use or development takes place to confirm that the land is suitable for development; and
 - (b) Buildings are designed and constructed, and uses appropriate materials, to effectively minimise the risk of damage to the buildings from ground subsidence.
- NH-P21 Stormwater management in areas subject to risk of land instability or subsidence.
- (1) Avoid discharge of stormwater directly to ground on land that is potentially at risk of land instability or subsidence unless:
 - (a) An assessment has been undertaken by an appropriately qualified geotechnical specialist, indicating that the site is suitable for the proposed discharges; and
 - (b) Any adverse effects on the site and receiving environment can be appropriately mitigated.

- NH-P22 Liquefaction susceptible land risk assessment.
- (1) On land assessed as potentially susceptible to liquefaction, ensure that:
 - (a) An assessment by a geotechnical specialist occurs before new subdivision, use or development takes place; and
 - (b) The level of assessment reflects the type and scale of the subdivision, use or development and the overall vulnerability of the activity to the effects of liquefaction; and
 - (c) The assessment confirms that the land is suitable for the proposed development.
- NH-P23 Control activities on land susceptible to damage from liquefaction

Control subdivision, use and development on land assessed as being susceptible to liquefaction induced ground damage, to ensure that appropriate mitigation is provided so that the level of risk to people, property, infrastructure.

- NH-P24 Natural hazard risk information.
- (1) Enable people to be informed and have access to information on the natural hazards affecting their properties and surrounding area, including through:
 - (a) Provision of Land Information Memoranda;
 - (b) Natural hazard technical information, including the projected effects of climate change, risk registers and mapping on the Council's website, the Waikato Regional Council Hazards Portal, this district plan and accompanying planning maps;
 - (c) Education, provision of information and community engagement; and
 - (d) Alignment with the work of other agencies including iwi and the Waikato Regional Council.
- NH-P25 Awareness of Community Response Plans.

Improve response to and recovery from natural hazard events by encouraging community awareness and use of information and methods contained in Community Response Plans.

- NH-P26 Effects of climate change on new subdivision and development.
- (1) Ensure that adequate allowances are made for the projected effects of climate change in the design and location of new subdivision and development including new urban zoning throughout the District, including undertaking assessments where relevant that provide for:
 - (a) The projected increase in rainfall intensity, as determined by national guidance, assuming a temperature increase of not less than 2.3°C by 2120;
 - (b) The projected increase in sea level, where relevant, as determined by national guidance and the best available information, but being not less than 1m by 2120;

- (c) In respect to new urban zoning, stress testing under the RCP 8.5 scenario for rainfall¹ and RCP 8.5H+ for sea level rise²;
- (d) In respect to the coastal environment, increases in storm surge, waves and wind; and
- (e) The ability for natural systems to respond and adapt to the projected changes included in (a) to (d) above.
- NH-P27 Future land use planning and climate change.
- (1) Increase the ability of the community to adapt to the effects of climate change when undertaking future land use planning by:
 - Ensuring the potential environmental and social costs of climate change, including effects on indigenous biodiversity (inland migration), historic heritage, Sites and areas of Significance to Maaori, mahinga kai, public health and safety, public access to the coast and waterway margins, and the built environment are addressed;
 - (b) Encouraging the incorporation of sustainable design measures within new subdivision, land use and development, including:
 - (i) Low impact, stormwater management, urban design and green infrastructure;
 - Of relocatable buildings and structures in areas potentially at risk due to sea level rise or increased flood levels;
 - (iii) Efficient water storage;
 - (iv) Provision of renewable energy generation; and
 - (v) Transferring to activities with lower greenhouse gas emissions.
 - (c) Providing ongoing monitoring of changes to the environment due to climate change; and
 - (d) Facilitating community discussion on adaptive pathways to manage the risks associated with climate change and incorporating them, where appropriate, into the district plan through plan changes.
- NH-P28 Precautionary approach for dealing with uncertainty.

In areas throughout the district likely to be affected by climate change over the next 100 years, adopt a precautionary approach towards new subdivision, use and development which may have potentially significant or irreversible adverse effects, but for which there is incomplete or uncertain information.

¹ Stress testing under the RCP 8.5 scenario for rainfall, see Ministry for the Environment, 2018: Climate Change Projections for New Zealand. September 2018. Publication No. MFE 1385.

² Stress testing under the RCP 8.5H+ scenario for sea level rise, see Ministry for the Environment, 2017: Coastal Hazards and Climate Change – Guidance for Local Government. December 2017. Publication No. ME 1341.

- NH-P29 Provide sufficient setbacks for new development.
- (1) Protect people, property and the environment from the projected adverse effects of climate change, including sea level rise, by providing sufficient setbacks from water bodies and the coast when assessing new development.
- (2) Ensure that, in establishing development setbacks for new development, adequate consideration is given to:
 - (a) The protection of natural ecosystems, including opportunities for the inland migration of coastal habitats;
 - (b) The vulnerability of the community;
 - (c) The maintenance and enhancement of public access to the coast and public open space;
 - (d) The requirements of infrastructure; and
 - (e) Natural hazard mitigation provision, including the protection of natural defences.
- NH-P30 Assess the impact of climate change on the level of natural hazard risks.
- For all new subdivision, use and development requiring rezoning or a resource consent, ensure that account is taken of the projected effects of climate change over the next 100 years when assessing any identified risks from natural hazards, and their effects on people, property, infrastructure and the environment.
- (2) Ensure that, when assessing the effects of climate change on the level of natural hazard risk in accordance with Policy NH-P30(1) above, the allowances in Policy NH-26(1)(a)-(d) are applied.
- (3) Where the assessment required by Policy NH-P30(1) indicates that natural hazards are likely to be exacerbated by climate change, ensure that subdivision and development are designed and located so that any increased and cumulative risk from natural hazards is managed to acceptable levels and any intolerable risks are avoided or reduced to tolerable or acceptable levels.

Rules

- (1) The rules in this chapter apply alongside the National Environmental Standards for Electricity Transmission 2010 (NESETA).
- (2) The rules in this chapter do not apply to:
 - (a) Any activity which is a regulated activity under the National Environmental Standards for Telecommunication Facilities 2016 (NESTF);
 - (b) Plantation forestry activities regulated under the National Environmental Standards for Plantation Forestry (NESPF).

Flood plain management area and Flood ponding area

NH-RI Construction of a new building, or reconstruction of or an addition to an existing building, unless specified in Rules NH-R2 – NH-R6

Flood plain	(I) Activity status: PER	(2) Activity status where
management	Activity-specific standards:	compliance not achieved: RDIS
area and Flood	(a) The minimum floor level is at	Council's discretion is restricted
ponding area	least 0.5m above the 1% AEP	to the following matters:
across all	flood level; and	(a) Assessment of risk from the 1%
zones	(b) Compliance with Standard NH-	AEP flood event;
	$\tilde{RI(I)}(a)$ shall be demonstrated	(b) Alternative locations within the
	by a suitably qualified engineer	site outside of the 1% AEP
	with experience in hydrology.	floodplain or flood ponding area;
		(c) The type of building
		development proposed and
		whether it is likely to suffer
		material damage during a flood;
		(d) Ability to manage risk through
		building materials, structural or design work, engineering
		solutions or other appropriate
		measures; and
		(e) Other mitigation measures to
		reduce the potential for flood
		damage to buildings.
NH-R2	Additions to an existing building that doe	es not increase the ground floor area of
	the building by more than 15m ²	
Flood plain	(I) Activity status: PER	(2) Activity status where
management	Activity-specific standards:	compliance not achieved: n/a
area and Flood ponding area	Nil	
across all		
zones		
		li 10 2
NH-R3	Standalone garage with a gross floor area	
Flood plain management	(I) Activity status: PER	(2) Activity status where compliance not achieved: n/a
area and Flood	Activity-specific standards:	compliance not achieved. Il/a
ponding area	Nil	
across all		
zones		
NH-R4	Construction of an accessory building wi	ithout a floor
Flood plain	(I) Activity status: PER	(2) Activity status where
management	Activity-specific standards:	compliance not achieved: n/a
area and Flood	Nil	-
ponding area		
across all		
zones		
NH-R5	Construction of a farm building without	a flood resistant (e.g. dirt, concrete pad)
	floor	

Flood plain management area and Flood ponding area across all zones	(I) Activity status: PER Activity-specific standards: Nil	(2) Activity status where compliance not achieved: n/a
NH-R6	Construction, replacement, repair, maint of utilities	tenance, minor upgrading or upgrading
Flood plain management area and Flood ponding area across all zones	(I) Activity status: PER Activity-specific standards: Nil	(2) Activity status where compliance not achieved: n/a
NH-R7	Earthworks associated with construction minor upgrading or upgrading of utilities, maintenance of access tracks.	
Flood plain management area and Flood ponding area across all zones	(1) Activity status: PER Activity-specific standards: Nil	(2) Activity status where compliance not achieved: n/a
NH-R8	Earthworks to create a building platform	for residential purposes
Flood plain management area and Flood ponding area across all zones	 (1) Activity status: PER Activity-specific standards: (a) Filling height is only to the extent necessary to achieve compliance with Rule NH-R1(1)(a). 	 (2) Activity status where compliance not achieved: RDIS Council's discretion is restricted to the following matters: (a) Timing, location and scale of earthworks; (b) Adverse effects on: (i) Existing overland flow paths and surface drainage patterns; (ii) Flood storage capacity; (iii) Runoff volumes; (iv) Adjoining properties, including the transfer of risk; (v) Infrastructure and flood protection works; (vi) Consideration of soil types and potential for erosion; and
		compensatory storage, or other flood management measures proposed.

Flood plain	(I) Activity status: PER	(2) Activity status where
management	Activity-specific standards:	compliance not achieved: RDIS
area and Flood	(a) In the GRZ – General	Council's discretion is restricted
ponding area	residential zone, MRZ – Medium	to the following matters:
across all	density residential zone, LLRZ –	(a) Timing, location and scale of
zones	Large lot residential zone, SETZ	earthworks;
	 Settlement zone and RLZ – 	(b) Adverse effects on:
	Rural lifestyle zone, a maximum	(i) Existing overland flow paths
	volume of filling above natural	and surface drainage
	ground level of 10m ³ per site,	patterns;
	and a maximum cumulative	(ii) Flood storage capacity;
	volume of filling and excavation of 20m ³ ; or	(iii) Runoff volumes;
		(iv) Adjoining properties,
	(b) In the GRUZ – General rural zone – a maximum volume of	including the transfer of risk;
	filling above natural ground level	(v) Infrastructure and flood
	of 100m ³ per site, and a	protection works;
	maximum cumulative volume of	(vi) Consideration of soil types
	filling and excavation of 200m ³	and potential for erosion;
	per site; or	and
	(c) All other zones – a maximum	(c) Mitigation including
	volume of filling above natural	compensatory storage, or other
	ground level of 20m ³ per site,	flood management measures
	and a maximum cumulative	proposed.
	volume of filling and excavation	
	of 50m ³ per site; and	
	(d) Height and depth of earthworks in all zones:	
	(i) A maximum height of 0.2m of	
	filling above natural ground	
	level; and	
	(ii) a maximum depth of	
	excavation of 0.5m below	
	natural ground level.	
	Advice note: where a site is located	
	partly within the flood plain	
	management area or flood ponding	
	area this rule only applies to that part of the site within the flood plain	
	management area or flood ponding	
	area.	
NH-RI0	Subdivision to create one or more addit	ional vacant lot(s) other than a utility
	allotment, access allotment or subdivisio	
Flood plain	(I) Activity status: DIS	
management		
area and Flood		
ponding area		
across all		
zones		

High risk flood area

NH-RII	Repair, maintenance or minor upgrading	of existing utilities
High risk flood		
area across all	Activity-specific standards:	compliance not achieved: n/a
zones	Nil.	
NH-RI2	Construction, replacement or upgrading of telecommunication lines, poles,	
	cabinets and masts/poles supporting anto	
High risk flood	(I) Activity status: PER	(2) Activity status where
area across all	Activity-specific standards:	compliance not achieved: n/a
zones	Nil.	
NH-RI3	Construction, replacement or upgrading supporting structures	of electricity lines, poles, cabinets, and
High risk flood	(I) Activity status: PER	(2) Activity status where
area across all	Activity-specific standards:	compliance not achieved: n/a
zones	Nil.	
NH-RI4	Construction of an accessory building w	ithout a floor;
High risk flood	(I) Activity status: PER	(2) Activity status where
area across all	Activity-specific standards:	compliance not achieved: n/a
zones	Nil.	
NH-RI5	Construction of a farm building without	a floor.
High risk flood	(I) Activity status: PER	(2) Activity status where
area across all	Activity-specific standards:	compliance not achieved: n/a
zones	Nil.	
NH-RI6	New utilities not provided for in Rules N	H-RI2 or NH-RI3
High risk flood	(I) Activity status: RDIS	(2) Activity status where
area across all	Activity-specific standards:	compliance not achieved: n/a
zones	Nil.	· ·
	Council's discretion is restricted	
	to the following matters:	
	(a) Functional and operational	
	requirements to be located in	
	the High risk flood area;	
	(b) The adverse effects on people	
	and property from establishing	
	or upgrading the utility in the	
	High risk flood area;	
	(c) The potential for the	
	development to transfer/increase flood risk to	
	neighbouring properties;	
	(d) Consideration of alternative	
	locations;	
	(e) Consideration of the projected	
	effects of climate change;	
	(f) Any mitigation measures to	
	reduce the risk to people's	
	safety, well-being and property.	
NH-RI7	Upgrading of existing utilities not provid	ed for in Rule NH-R11

High risk flood	(I) Activity status: RDIS	(2) Activity status where
area across all	Activity-specific standards:	compliance not achieved: n/a
zones	Nil.	
	 Council's discretion is restricted to the following matters: (a) Functional and operational requirements to be located in the High risk flood area; (b) The adverse effects on people and property from establishing or upgrading the utility in the High risk flood area; (c) The potential for the development to transfer/increase flood risk to neighbouring properties; (d) Consideration of alternative locations; (e) Consideration of the projected effects of climate change; (f) Any mitigation measures to 	
	reduce the risk to people's	
	safety, well-being and property.	
NH-R18	One addition to a lawfully established but the addition does not increase the grour more than 15m ² , unless provided for in 1	••••
High risk flood	(I) Activity status: RDIS	(2) Activity status where
area across all	Activity-specific standards:	compliance not achieved: n/a
zones	Nil.	
	Council's discretion is restricted to the following matters:	
	 (a) The ability to manage flood risk through appropriate building materials, structural or design work or other engineering solutions; 	
	 (b) The setting of an appropriate floor level for the addition, taking into consideration the location of the addition and the floor level of the existing building; (c) Any mitigation measures to 	
	reduce the risk to people's safety, well-being and property.	
NH-RI9	safety, well-being and property. Subdivision that creates one or more add	ditional vacant lot(s) where

	(b) The additional lot(s) are partially within the High risk flood area and each additional lot(s) contains an area capable of containing a complying building platform entirely outside the High risk flood area.
	This rule does not apply to subdivision for a utility allotment, access allotment or subdivision to create a reserve allotment.
High risk flood area across all zones	(I) Activity status: DIS
NH-R20	Construction of a new building or additions to an existing building, not provided for in Rules NH-R11 – NH-R18
High risk flood area across all zones	(I) Activity status: NC
NH-R2I	Subdivision that does not comply with Rule NH-R19
	This rule does not apply to subdivision for a utility allotment, access allotment or subdivision to create a reserve allotment.
High risk flood area across all zones	(I) Activity status: NC
NH-R22	Emergency service facilities and hospitals
High risk flood area across all zones	(I) Activity status: NC

Defended area (Residual risk)

NH-R23 Defended area across all	Activities are permitted activities within the Defended area identified on the planning maps, unless specified in Rules NH-R24 to NH-R26 below, or as otherwise specified in the relevant zone chapter or the Part 2 – District-wide matters chapters(1) Activity status: PER Activity-specific standards:(2) Activity status where compliance not achieved: n/a	
zones	Nil.	
NH-R24	Subdivision that creates one or more ad This rule does not apply to subdivision fo or subdivision to create a reserve allotm	or a utility allotment, an access allotment
Defended area across all zones	(1) Activity status: RDIS Activity-specific standards: Nil.	(2) Activity status where compliance not achieved: n/a
	Council's discretion is restricted to the following matters: (a) The actual level of service provided by the structural defence and associated flood protection works, including any change in the level of service anticipated due to climate change and sea level rise;	

	(b) The impact of any planned
	improvements, maintenance or
	upgrading on the residual risk;
	(c) The effect of groundwater levels
	and variability in ground
	conditions on stop-bank security
	at and adjacent to the site to be subdivided;
	(d) The likely depth and duration of flooding as a result of a breach or overtopping event or flood
	ponding;
	(e) The location of the subdivision,
	including services such as
	wastewater, water supply and
	roading/access (including escape
	routes), in relation to potential
	breakout points (failure zone);
	(f) The adverse effects on:
	(i) People and property,
	(ii) Historic heritage and Sites
	and Areas of Significance to
	Maaori, and
	(iii) Overall vulnerability from
	potential failure or
	overwhelming of the
	structural defences and
	associated flood protection
	works relevant to the
	proposed new lot(s);
	(g) Potential for the development
	to transfer/increase flood
	risk/residual risk to neighbouring
	properties;
	(h) Any additional mitigation
	measures proposed or site
	features which reduce residual
	risk (e.g., natural high ground;
	evacuation plan).
NH-R25	Construction of a new building, or reconstruction of, or new accessory building,
	located within 50m of the toe of a stop-bank where the stop-bank is under the
	responsibility of the Council, the Waikato Regional Council or the Crown.
Defended area	(I) Activity status: DIS
across all	
zones	
NH-R26	Earthworks located within 50m of the toe of a stop-bank where the stop-bank is under the responsibility of the Council, the Waikato Regional Council or the Crown.
	This rule does not apply to earthworks associated with the repair and
	maintenance of tracks and fences for farming activities (e.g. races) or utilities

	where the written approval of the authority managing the stop-bank has been obtained.
	Advice note: To seek written approval contact the Waikato Regional Council Integrated Catchment Management Group.
Defended area across all	(I) Activity status: DIS
zones	

Coastal sensitivity areas

NH-R27	Additions to an existing lawfully establish	ned building
Coastal	(I) Activity status: PER	(2) Activity status where
sensitivity area	Activity-specific standards:	compliance not achieved: RDIS
(Erosion) and		Council's discretion is restricted
		to the following matters:
(Erosion) and the Coastal sensitivity area (Inundation) across all zones	(a) The gross floor area of all additions to the building from 17 January 2022 do not exceed a total of 15m ² .	 to the following matters: (a) The ability to manage coastal hazard risk through appropriate building materials, structural or design work, engineering solutions, and other appropriate mitigation measures, including the ability to relocate the building; (b) The setting of minimum floor levels where appropriate; (c) The application of mitigation through natural features and buffers where appropriate; (d) The ability to impose time limits or triggers to determine when the building and services to be removed or relocated; (e) The degree to which coastal hazard risk, including the effects of climate change over a period to 2120, has been assessed in a site specific coastal hazard risk assessment; (f) Suitability of the site for the proposed use, including the provision for servicing such as access, wastewater, stormwater, and water supply; (g) Adverse effects to people and property and overall vulnerability from the establishment of the new building or additions to an
		existing building (h) Any mitigation measures to reduce risk; and

		(i) Whether there is any suitable alternative location for the activity to locate within the site.
NH-R28	Construction of an accessory building w	ithout a floor
Coastal sensitivity area (Erosion) and the Coastal sensitivity area (Inundation) across all zones	(I) Activity status: PER Activity-specific standards: Nil	(2) Activity status where compliance not achieved: n/a
NH-R29	Construction of a farm building without	a floor
Coastal	(I) Activity status: PER	(2) Activity status where
sensitivity area (Erosion) and the Coastal sensitivity area (Inundation) across all zones	Activity-specific standards: Nil	compliance not achieved: n/a
NH-R30	Construction, upgrading, minor upgrading, replacement, repair or maintenance	
Coastal	of utilities excluding hard protection structure (1) Activity status: PER	
sensitivity area (Erosion) and the Coastal sensitivity area (Inundation) across all zones	Activity-specific standards: Nil	(2) Activity status where compliance not achieved: n/a
NH-R31	Maintenance or repair of an existing law structure	fully established hard protection
Coastal sensitivity area (Erosion) and the Coastal sensitivity area (Inundation) across all zones	(I) Activity status: PER Activity-specific standards: Nil	(2) Activity status where compliance not achieved: n/a
NH-R32	Construction of a new building, or recon buildings in the RPZ – Rangitahi Peninsul (Erosion) on a certificate of title which v granted between 28 September 2015 an	la zone and Coastal sensitivity area vas created by subdivision consent
Coastal	(I) Activity status: PER	(2) Activity status where
sensitivity area (Erosion) and the Coastal sensitivity area	Activity-specific standards: (a) Compliance with the requirements of any consent	compliance not achieved: RDIS Council's discretion is restricted to the following matters:
(Inundation) across all zones	notice for the certificate of title pursuant to section 221 of the Resource Management Act 1991 containing specific design or	 (a) The ability to manage coastal hazard risk through appropriate building materials, structural or design work, engineering

		· · · · · · · · · · · · · · · · · · ·
	location requirements for buildings.	 solutions, and other appropriate mitigation measures, including the ability to relocate the building; (b) The setting of minimum floor levels where appropriate; (c) The application of mitigation through natural features and buffers where appropriate; (d) The ability to impose time limits or triggers to determine when the building and services to be removed or relocated; (e) The degree to which coastal hazard risk, including the effects of climate change over a period to 2120, has been assessed in a site specific coastal hazard risk assessment; (f) Suitability of the site for the proposed use, including the provision for servicing such as access, wastewater, stormwater, and water supply; (g) Adverse effects to people and property and overall vulnerability from the establishment of the new building or additions to an existing building (h) Any mitigation measures to reduce risk; and (i) Whether there is any suitable alternative location for the protect of the site for the protect of the protect of the new building or additions to an existing building
NUL 022		activity to locate within the site.
NH-R33	Construction of a new building or additi for in Rules NH-R27- NH-R30 and NH-	
Coastal	(I) Activity status: RDIS	(2) Activity status where
sensitivity area (Erosion) and the Coastal	Activity-specific standards: Nil	compliance not achieved: n/a
sensitivity area (Inundation)	Council's discretion is restricted to the following matters:	
across all zones	 (a) The ability to manage coastal hazard risk through appropriate building materials, structural or design work, engineering solutions, and other appropriate mitigation measures, including 	
	the ability to relocate the building;	

		,
	(b) The setting of minimum floor	
	levels where appropriate;	
	(c) The application of mitigation	
	through natural features and	
	buffers where appropriate;	
	(d) The ability to impose time limits	
	or triggers to determine when	
	the building and services to be	
	removed or relocated;	
	(e) The degree to which coastal	
	hazard risk, including the effects of climate change over a period	
	to 2120, has been assessed in a	
	site specific coastal hazard risk	
	assessment;	
	(f) Suitability of the site for the	
	proposed use, including the	
	provision for servicing such as	
	access, wastewater, stormwater,	
	and water supply;	
	(g) Adverse effects to people and	
	property and overall	
	vulnerability from the	
	establishment of the new	
	building or additions to an	
	existing building	
	(h) Any mitigation measures to reduce risk; and	
	(i) Whether there is any suitable	
	alternative location for the	
	activity to locate within the site.	
NH-R34	Any subdivision to create any additional	vacant lots where the additional vacant
	lot(s) are located partially or entirely wit	•
	(Inundation), Coastal sensitivity area (Ero	osion).
	subdivision creating a reserve allotment	or a utility allotment, access allotment or
Coastal	(I) Activity status: RDIS	(2) Activity status where
sensitivity area		compliance not achieved: n/a
(Erosion) and	Activity-specific standards:	• • • • • • • • • • • • • •
the Coastal	Nil	
sensitivity area		
(Inundation)	Council's discretion is restricted	
across all	to the following matters:	
zones	(a) Whether the vacant lot(s) are	
	capable of containing a	
	complying building platform	
	entirely outside the Coastal sensitivity area (Inundation), or	
	the Coastal sensitivity area	
	(Erosion); or	
	(b) Where the vacant lot(s) are not	
	capable of containing a	

	complying building platform	
	entirely outside of the Coastal	
	sensitivity area (Inundation), or	
	the Coastal sensitivity area	
	(Erosion):	
	(i) The degree to which coastal	
	hazard risk, including the	
	effects of climate change over	
	a period to 2120, has been	
	assessed in a site specific	
	coastal hazard risk	
	assessment;	
	(ii) Suitability of the vacant lot	
	for the likely future uses,	
	including the provision for	
	servicing such as access,	
	wastewater, stormwater, and	
	water supply;	
	(iii) The degree to which	
	alternative subdivision	
	layout(s) have been	
	investigated to avoid or	
	mitigate coastal hazards;	
	(iv) Adverse effects to people,	
	property and the	
	environment and overall	
	vulnerability from the likely	
	future uses, including any	
	mitigation measures to	
	reduce risk; and	
	(v) The setting of minimum floor	
	levels in areas subject to	
	inundation.	
NH-R35	Construction of a new hard protection s	
	upgrade or replacement of an existing ha	
Coastal	(I) Activity status: RDIS	(2) Activity status where
sensitivity area	Activity-specific standards:	compliance not achieved: n/a
(Erosion) and	Nil	
the Coastal		
sensitivity area	Council's discretion is restricted	
(Inundation) across all	to the following matters:	
	(a) Whether structures have	
zones	primarily a public and/or	
	environmental benefit when	
	located on public land;	
	(b) The extent to which the	
	structure is effective,	
	considering a range of coastal	
	hazard events including the	
	effects of climate change and the	
	activities or development they	
	are designed to protect;	
	0	

_	
•	
•	
to Maaori is not transferred or	
increased;	
(e) The extent to which structures	
are located as far landward as	
practicable;	
(f) Whether public access both to	
and along the coastal area and to	
the coastal marine area are	
provided for where the	
structure is located on public	
land; and	
(g) Whether an adaptive	
hazards, and whether the	
structure is consistent with that	
strategy.	
	 (e) The extent to which structures are located as far landward as practicable; (f) Whether public access both to and along the coastal area and to the coastal marine area are provided for where the structure is located on public land; and (g) Whether an adaptive management strategy has been prepared to manage coastal hazards, and whether the

High risk coastal erosion area

NH-R36	Construction of an accessory building without a floor	
High risk coastal erosion area across all zones	 (1) Activity status: PER Activity-specific standards: (a) The gross floor area of the building does not exceed 40m². 	(2) Activity status where compliance not achieved: NC
NH-R37	Construction of a farm building without	a floor
High risk coastal erosion area across all zones	 (1) Activity status: PER Activity-specific standards: (a) The gross floor area of the building does not exceed 40m². 	(2) Activity status where compliance not achieved: NC
NH-R38	Repair, maintenance or minor upgrading of existing utilities excluding hard protection structures	
High risk coastal erosion area across all zones	(I) Activity status: PER Activity-specific standards: Nil.	(2) Activity status where compliance not achieved: n/a
NH-R39	Construction, operation, replacement or upgrading of telecommunications lines, poles, cabinets and masts/poles supporting antennas	
High risk coastal erosion area across all zones	(1) Activity status: PER Activity-specific standards: Nil.	(2) Activity status where compliance not achieved: n/a

NH-R40	New electricity lines, poles, cabinets and	masts/ poles supporting antennas
High risk	(I) Activity status: PER	(2) Activity status where
coastal	Activity-specific standards:	compliance not achieved: n/a
erosion area	Nil.	-
across all	INII.	
zones		
NH-R41	Maintenance or repair of an existing lawfully established hard protection structure.	
High risk	(I) Activity status: PER	(2) Activity status where
coastal		compliance not achieved: n/a
erosion area	Activity-specific standards:	compliance not achieved. Ina
across all	Nil.	
zones		
NH-R42	Earthworks for an activity listed in Rules maintenance and repair of access tracks	NH-R36 – NH-R41, including the
High risk	(1) Activity status: PER	(2) Activity status where
coastal		compliance not achieved: DIS
erosion area	Activity-specific standards:	• • • • • • • • • • • • • • • • • • • •
across all	 (a) The maximum volume of filling does not exceed 10m³ per site; 	
zones	and	
	(b) The maximum depth of any	
	excavation or filling does not	
	exceed 0.5m above or below	
	ground level.	
NH-R43	Construction of a new hard protection s	structure or any extension to or
	upgrade or replacement of an existing h	-
High risk	(I) Activity status: RDIS	(2) Activity status where
coastal	Activity-specific standards:	compliance not achieved: n/a
erosion area	Nil	
across all		
zones	Councille discustion is usefuicted	
	Council's discretion is restricted	
	to the following matters:	
	(a) Whether structures have primarily a public and/or	
	environmental benefit when	
	environmental benefit when located on public land;	
	environmental benefit when located on public land; (b) The extent to which the	
	environmental benefit when located on public land; (b) The extent to which the structure is effective,	
	environmental benefit when located on public land; (b) The extent to which the structure is effective, considering a range of coastal	
	environmental benefit when located on public land; (b) The extent to which the structure is effective,	
	environmental benefit when located on public land; (b) The extent to which the structure is effective, considering a range of coastal hazard events including the	
	 environmental benefit when located on public land; (b) The extent to which the structure is effective, considering a range of coastal hazard events including the effects of climate change and the 	
	 environmental benefit when located on public land; (b) The extent to which the structure is effective, considering a range of coastal hazard events including the effects of climate change and the activities or development they 	
	 environmental benefit when located on public land; (b) The extent to which the structure is effective, considering a range of coastal hazard events including the effects of climate change and the activities or development they are designed to protect; (c) The extent to which economic, social and environmental 	
	 environmental benefit when located on public land; (b) The extent to which the structure is effective, considering a range of coastal hazard events including the effects of climate change and the activities or development they are designed to protect; (c) The extent to which economic, 	
	 environmental benefit when located on public land; (b) The extent to which the structure is effective, considering a range of coastal hazard events including the effects of climate change and the activities or development they are designed to protect; (c) The extent to which economic, social and environmental benefits outweigh costs; (d) Whether risk to people, 	
	 environmental benefit when located on public land; (b) The extent to which the structure is effective, considering a range of coastal hazard events including the effects of climate change and the activities or development they are designed to protect; (c) The extent to which economic, social and environmental benefits outweigh costs; (d) Whether risk to people, property, infrastructure, 	
	 environmental benefit when located on public land; (b) The extent to which the structure is effective, considering a range of coastal hazard events including the effects of climate change and the activities or development they are designed to protect; (c) The extent to which economic, social and environmental benefits outweigh costs; (d) Whether risk to people, property, infrastructure, environment, historic heritage 	
	 environmental benefit when located on public land; (b) The extent to which the structure is effective, considering a range of coastal hazard events including the effects of climate change and the activities or development they are designed to protect; (c) The extent to which economic, social and environmental benefits outweigh costs; (d) Whether risk to people, property, infrastructure, environment, historic heritage or sites and areas of significance 	
	 environmental benefit when located on public land; (b) The extent to which the structure is effective, considering a range of coastal hazard events including the effects of climate change and the activities or development they are designed to protect; (c) The extent to which economic, social and environmental benefits outweigh costs; (d) Whether risk to people, property, infrastructure, environment, historic heritage 	

	(e) The extent to which structures
	are located as far landward as
	practicable;
	(f) Whether public access both to
	and along the coastal area and to the coastal marine area are
	provided for where the
	structure is located on public
	land; and
	(g) Whether an adaptive
	management strategy has been
	prepared to manage coastal
	hazards, and whether the
	structure is consistent with that
	strategy.
NH-R44	Earthworks not provided for in Rule NH-42
High risk	Activity status: DIS
coastal	
erosion area	
across all	
zones	
NH-R45	Relocation of an existing building within the same site where the building is relocated landward of its existing position
High risk	Activity status: DIS
coastal	
erosion area	
across all	
zones	
NH-R46	Replacement of an existing building within the same site where:
	 (a) The replacement building is located landward of the existing building that it replaces;
	(b) The replacement building is relocatable on a suspended timber floor; and
	(c) The gross floor area of the replacement building is no larger than the
	existing building that it replaces
High risk	Activity status: DIS
coastal	
erosion area	
across all	
zones	
NH-R47	Construction of new utilities not provided for in Rules NH-R39 and NH-R40
High risk	Activity status: DIS
coastal erosion area	
across all	
zones	
NH-R48	Upgrading of existing utilities not provided for in Rules NH-R38 and NH-R39
High risk	
High risk coastal	Activity status: DIS
High risk coastal erosion area	
coastal	

NH-R49	Subdivision that creates one or more additional vacant lot(s) where the additional lot(s) are partially within the High risk coastal erosion area and each additional lot(s) contains a net site area capable of containing a complying building platform entirely outside the High risk coastal erosion area. This rule does not apply to subdivision for a utility allotment, access allotment or subdivision to create a reserve allotment.
High risk coastal erosion area across all zones	Activity status: DIS
NH-R50	Construction of a new building or additions to an existing building, not provided for in Rules NH-R36 – NH-R40, NH-R45 – NH-R48
High risk coastal erosion area across all zones	Activity status: NC
NH-R51	Subdivision to create one or more additional lot(s) that does not comply with Rule NH-R49. This rule does not apply to subdivision for a utility allotment, access allotment or subdivision to create a reserve allotment.
High risk coastal erosion area across all zones	Activity status: NC
NH-R52	Emergency service facilities and hospitals
High risk coastal erosion area across all zones	Activity status: NC

High risk coastal inundation area

NH-R53	Construction of an accessory building without a floor		
High risk	(I) Activity status: PER	(2) Activity status where	
coastal	Activity-specific standards:	compliance not achieved: NC	
inundation	(a) The gross floor area of the		
area across all zones	building does not exceed 40m ² .		
NH-R54	Construction of a farm building without a floor		
High risk	(I) Activity status: PER		
coastal inundation	Activity-specific standards: (a) The gross floor area of the	compliance not achieved: NC	
area across all	building does not exceed 40m ² .		
zones	8		
NH-R55	Repair, maintenance or minor upgrading of existing utilities excluding hard		
	protection structures		

High risk	(I) Activity status: PER	(2) Activity status where
coastal	Activity-specific standards:	compliance not achieved: n/a
inundation	Nil.	
area across all	1 11.	
zones		
NH-R56	Construction, operation, replacement or upgrading of telecommunications li poles, cabinets and masts/poles supporting antennas	
High risk	(I) Activity status: PER	(2) Activity status where
coastal		compliance not achieved: n/a
inundation	Activity-specific standards:	· · · · · · · · · · · · · · · · · · ·
area across all	Nil.	
zones		
NH-R57	New electricity lines, poles, cabinets and	
High risk	(I) Activity status: PER	(2) Activity status where
coastal	Activity-specific standards:	compliance not achieved: n/a
inundation	Nil.	
area across all		
zones NH-R58	Maintenance or repair of an existing law	 fully established hard protection
1411-150	structure.	tury established hard protection
High risk	(I) Activity status: PER	(2) Activity status where
coastal	Activity-specific standards:	compliance not achieved: n/a
inundation	Nil.	
area across all		
zones		
NH-R59	Earthworks for an activity listed in Rules	•
High risk	maintenance and repair of access tracks	(2) Activity status where
coastal	(I) Activity status: PER	compliance not achieved: DIS
inundation	Activity-specific standards:	compliance not achieved. Die
area across all	(a) The maximum volume of filling	
zones	does not exceed 10m ³ per site; and	
	(b) The maximum depth of any	
	excavation or filling does not	
	exceed 0.5m above or below	
	ground level.	
NH-R60	Construction of a new hard protection	-
11.1	upgrade or replacement of an existing h	
High risk	(I) Activity status: RDIS	(2) Activity status where
coastal inundation	Activity-specific standards:	compliance not achieved: n/a
area across all	Nil	
zones		
zones	Council's discretion is restricted	
	to the following matters:	
	(a) Whether structures have	
	primarily a public and/or	
	environmental benefit when	
	located on public land;	
	(b) The extent to which the	
	structure is effective,	
	considering a range of coastal	
	hazard events including the	

	effects of climate change and the activities or development they
	are designed to protect;
	(c) The extent to which economic,
	social and environmental
	benefits outweigh costs;
	(d) Whether risk to people,
	property, infrastructure, environment, historic heritage
	or sites and areas of significance
	to Maaori is not transferred or
	increased;
	(e) The extent to which structures are located as far landward as
	practicable;
	(f) Whether public access both to
	and along the coastal area and to the coastal marine area are
	provided for where the
	structure is located on public
	land; and
	(g) Whether an adaptive
	management strategy has been
	prepared to manage coastal
	hazards, and whether the
	structure is consistent with that strategy.
NH-R61	Earthworks not provided for in Rule NH-59
High risk	Activity status: DIS
coastal	
inundation	
area across all	
zones NH-R62	
	Construction of new utilities not provided for in Rules NH-R56 and NH-R57
High risk coastal	Activity status: DIS
inundation	
area across all	
zones	
NH-R63	Upgrading of existing utilities not provided for in Rules NH-R55 and NH-R56
High risk	Activity status: DIS
coastal	
inundation	
area across all	
zones NH-R64	Subdivision that creates one or more additional vacant lot(s) where the
	additional lot(s) are partially within the High risk coastal inundation area and
	each additional lot(s) contains a net site area capable of containing a complying building platform entirely outside the High risk coastal inundation area.
	This rule does not apply to subdivision for a utility allotment, access allotment or subdivision to create a reserve allotment.

High risk coastal	Activity status: DIS
inundation	
area across all	
zones	
NH-R65	Construction of a new building or additions to an existing building, not provided for in Rules NH-R53 – NH-R57, NH-R62 – NH-R63
High risk coastal inundation area across all zones	Activity status: DIS
NH-R66	Subdivision to create one or more additional lot(s) that does not comply with Rule NH-R64 This rule does not apply to subdivision for a utility allotment, access allotment or subdivision to create a reserve allotment.
High risk	Activity status: NC
coastal	
inundation	
area across all	
zones	
NH-R67	Emergency service facilities and hospitals
High risk	Activity status: NC
coastal	
inundation	
area across all	
zones	

Mine subsidence risk area

NH-R68	Additions to an existing building	
Mine subsidence risk area across all zones	 (1) Activity status: PER Activity-specific standards: (a) Additions do not increase the gross floor area of the building by more than 15m²; and (b) Additions do not result in the length of any wall of the building exceeding 20m. 	 (2) Activity status where compliance not achieved: RDIS Council's discretion is restricted to the following matters: (a) Construction standards and materials; (b) Suitability of the site for development; and (c) The potential effects on health and safety.
NH-R69	Standalone garage	•
Mine subsidence risk area	(I) Activity status: PER Activity-specific standards:	(2) Activity status where compliance not achieved: RDIS
across all zones	 (a) The gross floor area of the building does not exceed 55m²; and (b) The maximum length of any wall does not exceed 20m. 	Council's discretion is restricted to the following matters: (a) Construction standards and materials; (b) Suitability of the site for development; and

		(c) The potential effects on health and safety.
NH-R70	Construction, replacement, repair, mino of utilities and associated earthworks	or upgrading, upgrading or maintenance
Mine subsidence risk area across all zones	(1) Activity status: PER Activity-specific standards: Nil.	(2) Activity status where compliance not achieved: n/a
NH-R7I	Earthworks	
Mine subsidence	(1) Activity status: PER Activity-specific standards:	(2) Activity status where compliance not achieved: RDIS
risk area across all zones	(a) The maximum volume of filling does not exceed 20m³ per site;	Council's discretion is restricted to the following matters:
zones	and (b) The maximum depth of any	(a) Location and scale of earthworks;
	excavation or filling does not exceed 1m above or below ground level.	(b) Geotechnical and geological stability of the site following the completion of earthworks;
		 (c) Risk to people and property from subsidence as a result of earthworks; and
		(d) Any other mitigation measures to reduce risk.
	The construction or alteration of a building that is not provided for under Rule Rules NH-R68 – NH-R71 where a Consent Notice is registered against the Record of Title confirming that a geotechnical assessment has been approved as the time of subdivision and the approved geotechnical report confirms that the ground is suitable for building development and the building development is in accordance with any recommendations of the geotechnical report.	
Mine	(1) Activity status: CON	(2) Activity status where
subsidence risk area across all zones	Activity-specific standards: Nil.	compliance not achieved: n/a
	Council's control is reserved to the following matters:	
	(a) The degree to which the requirements and recommendations of the geotechnical report approved at the time of subdivision have been incorporated in the building design; and	
	(b) Whether confirmation is provided from a suitably experienced and qualified geotechnical engineer that confirms the proposed building development is consistent with	
	the recommendations and requirements of the geotechnical	

	report approved at the time of subdivision.	
NH-R73	Construction of a building, or reconstruction of, or accessory building or the reconstruction of or additions to an existing building not provided for in Rules NH-R68 – NH-R70 or NH-R72	
Mine	(I) Activity status: RDIS	(2) Activity status where
subsidence risk area across all zones	Activity-specific standards: Nil.	compliance not achieved: n/a
	Council's discretion is restricted to the following matters:	
	(a) Construction standards and materials;	
	(b) Suitability of the site for development; and	
	(c) The potential effects on health and safety.	
NH-R74	Subdivision to create one or more additional vacant lot(s) other than a utility	
	allotment, access allotment or subdivision to create a reserve allotment	
Mine	Activity status: DIS	
subsidence		
risk area		
across all		
zones		

Liquefaction

NH-R75	Overview of method
All zones	 (1) Areas in the District susceptible to liquefaction have not been identified on the planning maps as a natural hazard overlay as is the case with the other natural hazards in this chapter. Where specific land uses have already been identified as restricted discretionary activities in the activity status tables in the relevant zone, liquefaction risk has been added as a matter over which the Council will reserve its discretion, where it is considered relevant for that activity. To satisfy the requirements of sections 104 and 106 of the RMA, identification of appropriate mitigation may be required where the site and proposed development are considered vulnerable to liquefaction based on site-specific characteristics. It is expected that best practice geotechnical and engineering methods will be used to ensure that the site is suitable for the intended use. (2) Where potential liquefaction risk is identified as a matter that the Council restricts its discretion to, the additional matters outlined in Rules NH-R76 and NH-R77 below apply where relevant.
NH-R76	Additional matters of restricted discretion for subdivision to create one or more additional vacant lots – liquefaction risk
All zones	(1) Where potential liquefaction risk is identified as a matter that the Council will restrict its discretion to in a subdivision rule elsewhere in this Plan, and where that proposal involves subdivision to create one or more additional vacant lots, the Council restricts its discretion to the following additional matters (note: these matters will also be relevant to the assessment of a discretionary or non-complying resource consent application where a potential liquefaction hazard has been identified on a site):

	 (a) Geotechnical assessment and/or investigation of any potential liquefaction hazard on the site at a level sufficient to confirm the level of risk and its suitability for the proposed activity (refer to the information requirements in section below);
	(b) Measures proposed to mitigate the effects of liquefaction hazard if present including:
	 (i) Location, size, layout and design of allotments, structures, and building platforms, including consideration given to alternative siting away from where liquefaction risk is greatest;
	(ii) Location, timing, scale and nature of earthworks;
	(iii) Provision for ground strengthening and foundation design;
	(iv) Provision for resilient services and infrastructure, including
	wastewater, water supply, roads and access;
	 (v) Setbacks in relation to waterways, waterbodies or any steep change in ground elevation, sloping ground or free face, or alternative geotechnical measures to address any identified potential for lateral spread; and
	(vi) Effects on adjoining properties.
	Additional matters of restricted discretion for new land use (e.g., multi-unit levelopment) – liquefaction risk
All zones (Where potential liquefaction risk is identified as a matter that the Council will restrict its discretion to in a rule elsewhere in this Plan for new land use, the Council restricts its discretion to the following additional matters (note: these matters will also be relevant to the assessment of a discretionary or non-complying resource consent application where a potential liquefaction hazard has been identified on a site):
	 (a) Geotechnical assessment and/or investigation of any potential liquefaction hazard on the site at a level sufficient to confirm the level of risk and its suitability for the proposed activity (refer to the information requirements in section below);
	(b) Measures proposed to mitigate the effects of liquefaction hazard, if present, including:
	 (i) Location, size, layout and design of buildings, structures, car parking areas, access and provision for resilient infrastructure and services, including wastewater, stormwater and water supply;
	(ii) Location, timing, scale and nature of earthworks;
	(iii) Provision for ground strengthening and foundation design;
	 (iv) Setbacks in relation to waterways, waterbodies or any steep change in ground elevation, sloping ground (or free face, or alternative geotechnical measures to address any identified potential for lateral spread);
	 (v) Consideration given to ease of repair (including access to repair damaged structures) of liquefaction-induced damage; and

Advice note:

Effects on archaeological sites, both recorded (identified by the New Zealand Archaeological Association) and unrecorded, are regulated under the Heritage New Zealand Pouhere Taonga Act 2014. Heritage New Zealand Pouhere Taongo must be contacted regarding development and the need to undertake an archaeological assessment to determine the need for an archaeological authority. In the event of an

accidental discovery, the Heritage New Zealand Pouhere Taonga Lower Northern Office must be contacted immediately.

Information Requirements for all resource consent applications addressing natural hazards

NH-INFOI – General

- (1) The following documents, to the extent relevant to the proposal:
 - (a) Geotechnical assessment, including identification and assessment of any potentially liquefaction prone land and land subject to slope instability;
 - (b) An assessment of natural hazard risk, including the type of natural hazards present, such as flooding, slope stability, liquefaction, subsidence and coastal hazards. The assessment shall include the level of risk and any increase in risk as a result of the proposal associated with each hazard. Where applicable, the projected effects of climate change over the period to 2120 must be included;
 - (c) Remediation and mitigation measures necessary to make the site and any proposed buildings suitable for the proposed use, such as minimum floor levels, foundation design for relocatability, and appropriate time limits and/or triggers for the removal of any building and onsite wastewater disposal systems.
- (2) Plans identifying:
 - (a) Topographical features within the site and surrounding area; and
 - (b) The location of natural hazards on all or part of the site.
- (3) Consideration of the information contained in the following stormwater catchment management plans, or any approved updated version, where relevant:
 - (a) Ngaruawahia Catchment Management Plan, March 2015;
 - (b) Tamahere Stormwater Catchment Management Plan and Report, 2011
 - (c) Port Waikato Stormwater Catchment Management Plan and Report, 2004;
 - (d) Pokeno Catchment Management Plan, 2010;
 - (e) Te Kauwhata Catchment Management Plan, 2009; or
 - (f) Tuakau Catchment Management Plan, Draft 2014.

NH-INFO2 – Liquefaction potential

- (1) For land use resource consent applications where the additional matters the Council will restrict its discretion to include liquefaction, as per Rule NH-R77, the following information is required:
 - (a) A preliminary geotechnical assessment in sufficient detail to determine:
 - (i) The liquefaction vulnerability category, being either "liquefaction damage is unlikely" or "liquefaction damage is possible", as shown in Table 4.4 in "Preliminary Document: Planning and engineering guidance for potentially liquefaction prone land – Resource Management Act and Building Act aspects. Pub MfE and MBIE, September 2017"; or
 - (ii) Whether or not the site is susceptible to liquefaction using an alternative accepted method, observation, or desktop study.
 - (b) Where a "liquefaction damage is possible" category has been identified for the site as per NH-INFO2(1)(a)(i) above, or an alternative accepted method, observation or desktop study indicates that the site is susceptible to liquefaction as per NH-INFO2(1)(a)(ii) above, the assessment will be required to determine the liquefaction vulnerability in more detail, and in proportion to the scale and significance of the liquefaction hazard, and must:
 - (i) Identify any areas which require particular ground strengthening or other mitigation measures, and recommendations for such mitigation; and

- (ii) Identify areas to be excluded from built development, due to liquefaction hazard constraints (which includes lateral spread), or which require geotechnical setbacks; and
- (iii) Indicate options and recommended locations for the proposed activities and infrastructure recommended by the geotechnical engineer.
- (c) All geotechnical assessments in respect of liquefaction risk are to be prepared by a suitably qualified and experienced engineer with experience in geotechnical engineering or a Professional Engineering Geologist (IPENZ registered).
- (2) For subdivision consent applications that create one or more additional vacant lots as per Rule NH-R76:
 - (a) An assessment in accordance with NH-INFO2(1)(a) above will be required to be provided.
 - (b) Where a "liquefaction damage is possible" category has been identified for the site as per 15.13.2(1)(a)(i) above, or an alternative accepted method, observation, or desktop study indicates that the site is susceptible to liquefaction as per NH-INFO2(1)(a)(ii)above, the subdivision application will be required to include sufficient information and proposed measures to satisfy that liquefaction risk can be adequately avoided, remedied or mitigated, including the potential effects of lateral spread.
 - (c) Subdivision plans shall show, to the extent relevant or appropriate to the scale and significance of the liquefaction hazard identified:
 - (i) Any areas which require particular ground strengthening or other mitigation
 - (ii) Measures, and recommendations for such mitigation; and
 - (iii) Any areas which should be excluded from built development due to geotechnical constraints, or which require geotechnical setbacks; and
 - (iv) Any features of subdivision layout recommended by the geotechnical engineer, for example any recommended locations for proposed activities and other infrastructure as a result of geotechnical constraints.
 - (d) All geotechnical reports in respect of liquefaction potential are to be prepared by a suitably qualified and experienced engineer with experience in geotechnical engineering or Professional Engineering Geologist (IPENZ registered).

NH-INFO3 - RLZ - Rural lifestyle zone in Tamahere

(1) Any resource consent in relation to land located in the RLZ – Rural lifestyle zone in Tamahere will be required to include details of ponding of stormwater and overland flow paths as a result of a 1% AEP storm event (with rainfall events adjusted for climate change), as well as mitigation measures taking account of information that the Council holds in respect to the Tamahere stormwater catchment area.

NH-INFO3 – Defended areas

- For any Restricted Discretionary Activity land use and subdivision applications within the Defended Area, the following information is required to the extent relevant to the scale of the proposal:
 - (a) A risk assessment, carried out by a suitably-qualified and experienced risk assessment practitioner, which identifies the nature and level of residual risk, and details of appropriate methods to further reduce residual risk, where appropriate.